ELSEVIER
SAUNDERS

Prim Care Clin Office Pract
31 (2004) 1069–1104

PRIMARY CARE:
CLINICS IN
OFFICE PRACTICE

Cumulative Index 2004

Volume 31

March	NEUROLOGY FOR THE PRIMARY CARE PHYSICIAN, pages 1–236
June	HEADACHE, pages 237–448
September	GENETICS FOR PRIMARY CARE CLINICIANS, pages 449–782
December	SPORTS MEDICINE, PART I, pages 783–1104

Note: Page numbers of article titles are in **bold face** type.

A

Abductor testing, in shoulder injuries, 785

Abscess, brain, headache in, 388

Acceleration-deceleration injury, of neck, 9–15

Acetaminophen
- for migraine, 406–407
- headache from, 369–370

Acetylcarnitines, newborn screening for, 595–600

N-Acetyltransferase, polymorphisms of, drug response and, 547–548

Achilles tendon, **1039–1054**
- rupture of, 1047–1051
  - classification of, 1048
  - clinical features of, 1047
  - diagnosis of, 1047–1048
  - incidence of, 1047
  - predisposing factors in, 1047
  - treatment of, 1048–1051
- tendonopathy of, 1039–1046
  - anatomic considerations in, 1040–1041
  - epidemiology of, 1039–1040
  - factors contributing to, 1041
  - in systemic inflammation, 1044
  - insertional tendonitis, 1041–1043
  - paratenonitis/peritendonitis, 1042–1044
  - retrocalcaneal bursitis, 1044
  - tendinosis, 1042–1043
  - terminology of, 1041–1042
  - treatment of, 1044–1046

Acidemias, newborn screening for, 585–586, 592–593

ACL injuries. *See* Anterior cruciate ligament injuries.

Acromioclavicular joint, **857–866**
- anatomy of, 808–809, 857
- examination of
  - in rotator cuff injuries, 813–814
  - in shoulder impingement syndrome, 790
- injuries of
  - acute, 859–863
  - chronic, 863–865
  - classification of, 860–861
  - differential diagnosis of, 858
  - dislocation, 863–864
  - epidemiology of, 859
  - examination in, 858
  - radiography in, 862
  - treatment of, 863, 865
  - with open physes, 859–860
- stabilizers of, 857–858

Acromion
- impingement by, 812
- spurs of, radiography in, 797

Actigraphy, in sleep disorders, 153

Activated protein C resistance, thrombophilia in, 692

Active compression test
- in rotator cuff injuries, 817
- in SLAP lesions, 839–840, 842

Acupuncture
- for patellofemoral pain syndrome, 995
- for tension-type headache, 305

α-Adductin variants, coronary artery disease risk and, 719

0095-4543/04/$ - see front matter © 2004 Elsevier Inc. All rights reserved.
doi:10.1016/S0095-4543(04)00117-4

Adduction testing, in shoulder injuries, 785

Adductor magnus strains, 1009

Adenosylcobalamin synthesis defect, newborn screening for, 595–596

Adson's test, in neck pain, 22

Age factors
in patellofemoral pain syndrome, 984
in rotator cuff injuries, 811, 813

Akathisia, drug-induced, 122–124

Alcohol dehydrogenase type 3 variants, coronary artery disease risk and, 719

Alcohol use, cluster headache in, 315

Alleles
definition of, 468–469
deletion of, 468
frequency of, 473
polymorphism of. *See* Polymorphism.

Allografts, for anterior cruciate ligament injuries, 937–938

Almotriptan, for migraine, 407

Alpha-fetoprotein, measurement of, in prenatal screening, 565–566

Alzheimer's disease, 129–131, 135–139
apolipoprotein E4 in, 717
early onset, 502
in Down syndrome, 629–630
pharmacogenetics of, 552

Amantadine
for fatigue, in multiple sclerosis, 219
for Parkinson's disease, 114–115

American Breeder's Association, in eugenics movement, 526–528

Amino acidemias, newborn screening for, 585–586, 592–593

4-Aminopyridine, for multiple sclerosis, 217

Amitriptyline, for tension-type headache, 299

Amniocentesis, for genetic disorder screening, 570–571

Amsterdam criteria, for hereditary colon cancer, 662

Analgesics, for headache, rebound headache from, 297. *See also* Medication overuse headaches.

Anesthetic, local, for rotator cuff injuries, 825

Aneurysm, cerebral, headache in, 342–343, 388–389

Angiography
in dementia, 134
in entrapment syndromes, 1016

Ankle injuries, **1025–1037**
Achilles tendonopathy and rupture, **1039–1054**
anatomic considerations in, 1026–1030
bifurcate ligament, 1065–1066
biomechanics of, 1026–1030
calcaneal fractures, 1063–1065
epidemiology of, 1025–1026
history of, 1030–1031
physical examination in, 1031–1035
radiography in, 1035–1036
sprains, problems masquerading as, **1055–1067**
talar fractures
dome, 1055–1059
lateral process, 1059–1060
posterior process, 1060–1062

Ankylosing spondylitis, Achilles tendonopathy in, 1044

Anterior cruciate ligament injuries, 925–940
anatomic considerations in, 925–928
biomechanics of, 925–928
diagnosis of, 930–934
in pediatric patients, 938–939
in women, 927, 929–930
incidence of, 925
injury cascade related to, 935
mechanism of, 927
natural history of, 934–935
patellofemoral pain syndrome in, 984
prevention of, 939–940
rehabilitation in, 939
risk factors for, 927–930
treatment of, 935–939

Anterior drawer test
in ankle injuries, 1034
in knee injuries, 897, 932
in rotator cuff injuries, 817

Anterior knee pain. *See* Patellofemoral pain syndrome.

Anterior slide test, in SLAP lesions, 837

Antibiotics, pharmacogenetics of, 552

Antibody(ies)
monoclonal, for peripheral neuropathy, 82
myelin-associated glycoprotein, in chronic inflammatory demyelinating polyneuropathy, 75–76

Anticholinergics, for Parkinson's disease, 114–115

Anticipation, of genetic traits, 471

Anticoagulants, for thrombophilia, 697

Anticonvulsants
for multiple sclerosis, 209
for tension-type headache, 300–302, 307

Antidepressants
for Alzheimer's disease, 138
for migraine, 286, 409
for multiple sclerosis, 209
for smoking cessation, 551
for tension-type headache, 299–300, 306
for Tourette's syndrome, 126

Antiepileptic drugs, for seizures, 88–93

Antipsychotics, for tension-type headache, 306

Antithrombin deficiency, thrombophilia in, 695

Anxiety, with tension-type headache, 305–306

Aorta
coarctation of, in Turner syndrome, 635
dissection of, in Marfan syndrome, 738–739

APC gene, I1307K variant of, colorectal cancer and, 659–660

Apley maneuver, in knee injuries, 900

Apnea, sleep
central, 156
in Down syndrome, 628
in pediatric patients, 157
obstructive, 151, 153–156

Apolipoprotein B-100, coronary artery disease risk and, 713

Apolipoprotein E, coronary artery disease risk and, 716–717

Apolipoprotein E4, Alzheimer's disease and, 552

Apparent life-threatening events, in infants, 157

Apprehension test
in knee injuries, 894
in patellofemoral pain syndrome, 989
in shoulder injuries, 787

Apraxia, gait, in normal-pressure hydrocephalus, 143–145

Argininemia, newborn screening for, 595

Argininosuccinic acid lyase deficiency, newborn screening for, 594–595

Argininosuccinic acid synthase deficiency, newborn screening for, 594–595

Arteriovenous malformations, cerebral, headache in, 388–389

Arteritis, temporal, headache in, 389

Arthritis, septic, laboratory tests for, 901–902

Arthrography
in biceps injuries, 849
in patellofemoral pain syndrome, 989
magnetic resonance
in patellofemoral pain syndrome, 992
in SLAP lesions, 843

Arthroscopy
for patellofemoral pain syndrome, 996
for shoulder impingement syndrome, 798
for shoulder instability, 878

Aspirin, for coronary artery disease prevention, 718

Assisted reproductive technology, preimplantation diagnosis in, 572

Associations
congenital, 612–613
genetic, 474–477

Asterixis, drug-induced, 122–124

Atenolol, for syncope, 182

Atherogenic lipoprotein phenotype, 713

Athletes. *See* Sports medicine.

Atlantoaxial instability, in Down syndrome, 628

Attenuated familial adenomatous polyposis, 659

Aura
in migraine, 245–246, 278, 280–281
in pediatric patients, 404
pathophysiology of, 264–266
in seizures, 86

Autoimmune disease, in Turner syndrome, 635–636

Autonomic dysfunction/neuropathy
acute-onset, 188
causes of, 185, 187
documentation of, 190
evaluation in, 70
in cluster headache, 271–272
in migraine, 269–270

Autosomal dominant inheritance, 486

Autosomal recessive inheritance, 486

Axonal degeneration, in peripheral neuropathy, 73

Axonopathy, 67

Azathioprine
for multiple sclerosis, 213–214
for peripheral neuropathy, 80–81

B

Back pain, low. *See* Low back pain.

Baclofen, for spasticity, in multiple sclerosis, 217–218

Balance disorders, in multiple sclerosis, 218

Bankart lesion, 872

Bannayan-Riley-Rivulcaba syndrome, cancer in, 663

Basilar migraine, 430

Benign childhood epilepsy, 168

Benign neonatal myoclonus, 167

Berndt-Harty classification, of talar fractures, 1057–1058

Beta-blockers, for syncope, 182

Bethesda criteria, for hereditary colon cancer, 662–663

Biceps load test, in SLAP lesions, 841–842

Biceps muscle, anatomy of, 810–811

Biceps tendon
evaluation of, 786–787
in rotator cuff injuries, 816–817
injuries of, 846–851
anatomy of, 847–848
biomechanics of, 847–848
clinical findings in, 848–850
in impingement syndrome, 794
rupture, 846, 849–850
subluxation/dislocation, 846–847, 849–850
tendinitis, 847, 849–851
treatment of, 850–851
repair of, in SLAP lesions, 845

Bifurcate ligament injuries, 1065–1066

Binswanger's disease, 140

Biofeedback, for tension-type headache, 304–305

Biopsy, nerve, in peripheral neuropathy, 73

Biopterin cofactor defects, newborn screening for, 592–593

Bipartite patella, pain in, 983

Bipolar disorder, with tension-type headache, 307

Birth defects. *See* Congenital anomalies.

Bladder dysfunction, in multiple sclerosis, 220–221

Blazine stages, of patellar tendinitis, 909

Blood supply, to rotator cuff, 812

Bone bruises, in anterior cruciate ligament injuries, 934–935

Bone scan
in patellofemoral pain syndrome, 992–993
in posterior cruciate ligament injuries, 945
in talar fractures, 1057

Bone-patella tendon-bone grafts, for anterior cruciate ligament injuries, 937

Bony Bankart lesion, 872

Botulinum toxin
for essential tremor, 117
for spasticity, in multiple sclerosis, 218
for tension-type headache, 303
for Tourette's syndrome, 126

Bounce home test, in knee injuries, 893

Bowel dysfunction, in multiple sclerosis, 221–222

Brace
for anterior cruciate ligament injuries, 936–938
for lateral collateral ligament injuries, 973
for medial collateral ligament injuries, 965–966
for patellofemoral pain syndrome, 995
for shoulder instability, 882–883

Bradbury-Eggleston syndrome, 189

Bradycardia, in syncope, 177, 183

Bradykinesia, in Parkinson's disease, 111

Bragard test, in low back pain, 42

Brain
abscess of, headache in, 388
aneurysm of, headache in, 342–343, 388–389
arteriovenous malformations of, headache in, 388–389
atrophy of, in Huntington's disease, 120–121
ischemia of, headache in, 387
parenchymal hemorrhage of, headache in, 384
stimulation of
for essential tremor, 117
for Parkinson's disease, 115
tumor of, headache in, 388
vasculitis of, headache in, 387

Brainstem auditory evoked responses, in peripheral neuropathy, 70

Branched-chain ketoacid dehydrogenase deficiency (maple syrup urine disease), newborn screening for, 501, 593–594

BRCA genes, mutations of, 652–653
cancer risk with, 651–652, 654–655
genetic testing in, 519–520, 664–666
inherited, 649–652
likelihood of finding, 651
population prevalence of, 650–651
surveillance in, 652–653

Breast cancer
genetic susceptibility to, 649. *See also BRCA* genes.
counseling on, 519–520
extreme pathology in, 504
inheritance of, 649–652
management of, 652–653
in Klinefelter's syndrome, 639–640

Breastfeeding, headache treatment in, 421–422

Bupropion, for smoking cessation, pharmacogenetics of, 551

Bursitis
ischiogluteal, 1009–1010
pes anserinus, 1015–1016
retrocalcaneal, 1044
semimembranosus, 1009–1010

Buspirone, for tension-type headache, 300, 306

C

CA-125 measurement, in ovarian cancer screening, 653–654

CAG trinucleotide repeat, in Huntington's disease, 119–120

Calcaneofibular ligament, evaluation of, 1034

Calcaneus, fractures of, 1063–1065

Calcium channel blockers
for cluster headache, 321–322
for migraine, 286

Calf, soft-tissue injuries of, 1013–1018

Cancer, genetic susceptibility to, **645–679**
breast, 649–655
management of, 652–653
risk assessment in, 654–655
colorectal, 655
APC I1307K variant in, 659–660
hereditary nonpolyposis, 660–664
homozygous *MYH* mutation in, 660
syndromes of, 656–659
counseling for, 666–668
early onset, 501
extreme pathology in, 504
genetic testing for, principles of, 664–666
in Down syndrome, 629
information resources for, 668
lung, 549–550
ovarian, 649–655
pharmacogenetics of, 549–550
risk factors and, 646
smoking-related, 549–550
specialized genetic evaluation in, 647–648
statistics on, 646

Candidate genes, 475

Capsaicin, for cluster headache, 323

Carbamazepine, for seizures, 89–90

Cardiac pacing, for syncope, 183

Carnitine-palmitoyl transferase deficiency, newborn screening for, 599–600

Carotid artery dissection, headache in, 385

Carotid sinus hypersensitivity, 178

Carotid sinus massage, in syncope evaluation, 181

Carpal tunnel syndrome, 62

Carriers
heterozygous, 469
homozygous, 469

Casting, for Achilles tendon rupture, 1049–1050

Catechol-O-methyltransferase inhibitors, for Parkinson's disease, 114–115

Caudate nucleus, atrophy of, in Huntington's disease, 120–121

Celecoxib, for stabbing headache, 347

Celiac disease, in Down syndrome, 626, 628–629

Central sensitization, in migraine, 269

Central sleep apnea-hypopnea syndrome, 156

Cephalalgias. *See also* Headache(s).
trigeminal autonomic, 333–341
without autonomic dysfunction, 341–347

Cerebral vein thrombosis, headache in, 387, 415

Cerebrospinal fluid
analysis of, in multiple sclerosis, 206
hypotension of, headache in, 386

Cerebrovascular disease, **95–109**
acute, treatment of, 107
causes of, 96
dementia in, 130, 139–141
demographics of, 102
development of, 104–105
differential diagnosis of, 96–97
headache in, 387
hemorrhagic
intracerebral, 98–99
subarachnoid, 98
treatment of, 108
versus ischemic, 97–98
history in, 101–106
identification of, 96
imaging in, 107
infarction in, 108
ischemic
activity at onset, 105–106
causes of, 99–100
versus hemorrhagic, 97–98
laboratory studies in, 107
localization of, 101–102
neurologic examination in, 106
physical examination in, 106
previous, 103–104
remote (nonacute), treatment of, 107
symptoms of, 106
transient ischemic attacks, 108–109
treatment of, 107–109
versus syncope, 191

Ceruloplasmin deficiency, in Wilson's disease, 118

Cervical spine, examination of, in shoulder impingement syndrome, 789–790

Cervical sprain (whiplash injury), 9–15, 26–27

Cervicogenic headache, 389–390

Cheyne-Stokes breathing, sleep disorders in, 156

Chiropractic manipulation, for neck pain, 29

Chlorpromazine, for medication overuse headache, 375

Cholesterol, elevated. *See* Hypercholesterolemia.

Cholesterol ester transfer protein, coronary artery disease risk and, 716

Cholesterol lowering drugs, for coronary artery disease risk modification, 713, 724–725

Chondromalacia
examination in, 895–896
versus patellofemoral pain syndrome, 977–978

Chorea
drug-induced, 122–124
in Huntington's disease, 118–122

Chorionic villi sampling, for genetic disorder screening, 570–572

Chromosomes
disorders of, 487, 613
number of, 469

Chronic daily headache, **351–365**
classification of, 351–352
clinical features of, 354–355
migraine, 359–360
tension-type, 356–357
criteria for
hemicrania continua, 361–362
migraine, 358–359
new daily persistent, 360–361
tension-type, 355–356
definition of, 351
hemicrania continua, 361–363
migraine, 359
new daily persistent, 361
tension-type, 356
epidemiology of, 351
evaluation of, 353–355
hemicrania continua, 361–363
history taking in, 353–354
migraine, 358–360
new daily persistent, 360–361
pathogenesis of, 352–353
primary, 352
risk factors for, 353
secondary, 352
tension-type, 355–358
clinical features of, 297
definition of, 293
treatment of, 299, 301–302

Chronic exertional compartment syndrome, 1013–1015

Chronic inflammatory demyelinating polyneuropathy, 74–77

Chronic paroxysmal hemicrania, 337–340

Chronotherapy, for circadian rhythm disorders, 164

Circadian rhythm disorders, of sleep, 162–164

Circulatory system, homeostasis in, 682

Citalopram, for tension-type headache, 300

Citrullinemia, newborn screening for, 594–595

Clark's sign, in knee injuries, 895

Claudication, in athletes, 1016

Clavicle, distal osteolysis of, 864–865

Clomipramine, for Tourette's syndrome, 126

Clonazepam
for tension-type headache, 306
for Tourette's syndrome, 126

Clonidine, for Tourette's syndrome, 126

Cluster headaches, **313–329**
chronic, 247, 316–317, 323
circadian features of, 315
classification of, 247
clinical features of, 314–317, 333–334
epidemiology of, 238, 313–314
episodic, 247, 323
in women, 414
pathophysiology of, 271–274
treatment of, 317–325
abortive, 317–320
intractable, 324–325
preventative, 320–323
surgical, 324

Codeine, for migraine, 406

Codons, 463, 465, 468

Cognitive dysfunction. *See also* Dementia.
in postconcussion syndrome, 6
mild, versus dementia, 135–136

Collateral ligament injuries
lateral, 966–973
medial, 957–973
posterolateral, 966–973

Colorectal cancer, genetic susceptibility to, 655
APC gene I1307K variant in, 659–660
extreme pathology in, 504
hereditary nonpolyposis, 660–661, 663–664
hereditary syndromes in, 656–659
MYH gene mutations in, 660

Compartment syndrome, chronic exertional, 1013–1015

Complex, congenital, 612

Compound muscle action potential
in entrapment neuropathies, 58–59
in peripheral neuropathy, 69–70

Compression
neuropathies in. *See* Entrapment neuropathies.
SLAP lesions due to, 835

Compression-rotation test, in SLAP lesions, 837–839

Computed tomography
in Alzheimer's disease, 137
in biceps injuries, 849
in calcaneal fractures, 1064
in coronary artery disease, 723–724
in dementia, 132–133, 137
in knee injuries, 905
in patellofemoral pain syndrome, 992
in postconcussion syndrome, 7
in syncope, 181
in talar fractures
dome, 1057–1058
posterior process, 1061–1062
in whiplash injury, 13

Concussion. *See also* Postconcussion syndrome.
definition of, 1

Confusional arousals, 164–165

Congenital anomalies, **603–617**
challenges of, 603
classification of, 606–609
clinical patterns of, 609–612
etiology of, 606–609
genetic testing in, 613–615
groups of, 500–501
information resources for, 611
major, 604
minor, 604–606
patellar, 983–984
terminology of, 603–609

Conjunctival injection, in short-lasting unilateral neuralgiform headache with conjunctival injection and tearing, 340–341

Connective tissue disorders, Marfan syndrome as, 737–740

Consciousness, loss of. *See also* Syncope.
in seizures, 87

Constipation, in multiple sclerosis, 221–222

Continuous positive airway pressure, for sleep apnea, 154–155

Contraceptives, oral, migraine associated with, 416–417

Contralateral straight leg raising test, in low back pain, 42

Contusion, quadriceps, 1006

Convergence hypothesis, of cluster headaches, 272–274

Convulsive syncope, 180

Copper deposition, in Wilson's disease, 117–118

Coracoclavicular ligaments, injuries of. *See* Acromioclavicular joint, injuries of.

Coracoid impingement, 798–799

Coronary artery disease, genetics of, **707–735**
approach based on, 719–725
counseling in, 720–721
risk assessment in, 721–724
risk factor modification in, 724–725
candidate genes in, 708
early appearance of, 502
in disease progression and development, 707–708
risk assessment and, 708–719
biochemical testing, 712–714
DNA analysis in, 714–719
family history in, 709–712

Corticosteroids
for cluster headache, 320–321
for multiple sclerosis, 205, 210–211
for shoulder impingement syndrome, 798
for whiplash injury, 14
injection of
for Achilles tendonopathy, 1045
for acromioclavicular joint injuries, 864–865
for plantar fasciitis, 1020
for rotator cuff injuries, 821–822

Coughing, syncope in, 179

Counseling, genetic, 506, **509–524**
eugenics movement and, 537
example of, 519–520
family history in, 516
genetic testing in, 516–517
life cycle triggers of, 521
longitudinal aspects of, 521
long-term sequelae of, 521
model for, 516–518
nondirective, 515–516
on cancer susceptibility, 666–668
on coronary artery disease, 720–721
on Down syndrome, 625
patient perspectives in, 510
physician perspectives in, 510–513
post-test, 514
preconception, 561–562
pretest, 513–514
psychological implications of, 517–518
referral in, 514–515, 518
utility of, 521

Cowden syndrome, cancer in, 652, 663

Cranial nerve symptoms, in postconcussion syndrome, 6

Crank test, in SLAP lesions, 837, 839

C-reactive protein, coronary artery disease risk and, 714

Crepitus, in patellofemoral pain syndrome, 989

Creutzfeld-Jakob disease, dementia in, 145–146

Cross-body adduction test, in acromioclavicular joint injuries, 787, 858

Crossover, in genetic linkage, 474

Cruciate ligament injuries
anterior, 925–940
posterior, 941–949

Cryotherapy, for Achilles tendonopathy, 1045

Cultural sensitivity, in genetic testing, 539

Cutaneous nerve, posterior, entrapment of, 1010

Cyclophosphamide
for multiple sclerosis, 212, 214
for peripheral neuropathy, 81

Cyproheptadine, for migraine, 286

Cystic fibrosis
carriers of, detection of, 451
prenatal testing for, 563–565

Cytochrome P450 enzymes, polymorphisms of, drug response and, 545–548

D

Daily headache, chronic. *See* Chronic daily headache.

Dantrolene, for spasticity, in multiple sclerosis, 217

Data storage, for genotyping, 451–452

Davenport, Charles, in eugenics movement, 528

Debridement, of SLAP lesions, 845

Debrisoquine hydroxylase, polymorphisms of, drug response and, 545–547

Deep brain stimulation
for essential tremor, 117
for Parkinson's disease, 115

Deep venous thrombosis, in thrombophilia. *See* Thrombophilia.

Deformations, congenital, 608, 613

Delayed sleep phase syndrome, 163

Deletions, in mutation, 466–468

Dementia, **129–148**
Alzheimer's. *See* Alzheimer's disease.
definition of, 129
differential diagnosis of, 129–131
etiologies of, 129–131
evaluation of, 132–134
frontotemporal, 130, 143
in Creutzfeld-Jakob disease, 145–146
in Huntington's disease, 130, 145
in normal-pressure hydrocephalus, 143–145
in Parkinson's disease, 130, 142–143
in progressive supranuclear palsy, 130, 143
Lewy bodies in, 129–130, 141–142
presenile, 136–137
subcategories of, 131
treatable, 129, 145–146
vascular, 130, 139–141
versus mild cognitive impairment, 134–135

Demyelination
in multiple sclerosis, 203–204, 215
in peripheral neuropathy, 73
neuropathy in, 67

Dental infections, headache in, 388

Depression
in Huntington's disease, 121
with tension-type headache, 306

Desipramine, for tension-type headache, 300

Desmopressin, for bladder dysfunction, in multiple sclerosis, 221

Detrusor-sphincter dyssynergy, in multiple sclerosis, 220

Developmental delay
in Down syndrome, 626–627
in fragile X syndrome, **619–622**
in genetic disorders, 502–503

Dexamethasone, for multiple sclerosis, 210

Diabetes mellitus, **741–764**
autonomic neuropathy in, 185, 187–188
complications of, genetics of, 746–747
environmental factors in, 747–750
epidemiology of, 742
genetics of, 744–747
gestational
environmental factors in, 749–750
epidemiology of, 743
genetics of, 746
prevention of, 757–758
overview of, 742–743
peripheral neuropathy in, 77
prevention of, 750–758
gestational, 757–768
type 1, 750–752
type 2, 752–757
type 1
early, interventions in, 751–752
environmental factors in, 747
epidemiology of, 742–743
genetics of, 744–745
interventions before development, 751
prevention of, 750–752
risk prediction in, 750–751
type 2
early, interventions in, 756–757
environmental factors in, 747–749
epidemiology of, 743
genetics of, 745–746
individualized treatment for, 757
interventions before development, 755–756, 758
prevention of, 752–757
risk prediction in, 752–755

Dial test
in posterior cruciate ligament injuries, 944
in posterolateral corner injuries, 969–970

Dihydroergotamine, for cluster headache, 319–320

Disability, in multiple sclerosis, 211–213

Disk herniation
cervical, 24, 28–29
lumbar, 48–49

Dislocation
acromioclavicular joint, 863–864
biceps tendon, 846–847, 849–850
patellar, 916–921
shoulder. *See* Glenohumeral joint, instability of, dislocation in.

Disruptions, congenital, 608, 613

DNA
mitochondrial, mutations in, 471–472
polymorphisms of. *See* Polymorphism.
structure of, 462–463

DNA analysis, 461
for coronary artery disease risk, 714–716, 722–723

Dominant inheritance, 469, 486

Donepezil, for Alzheimer's disease, 138

Dopamine agonists, for Parkinson's disease, 114

Dopamine receptor blockers, for Tourette's syndrome, 125–126

Dorsiflexion test, of ankle, 1033

Dorsiflexion-eversion stress test, in ankle injuries, 1034–1035

Down syndrome, 623–630
Alzheimer's disease in, 629–630
epidemiology of, 623–624
features of, 625–626
information resources for, 640
interventions for, 626–630
mortality in, 629
prenatal screening for, 624–625
diagnostic options for, 570–572
first trimester, 568–569
future directions in, 574
integrated, 569–570
second trimester, 565–567

Drawer test
anterior
in ankle injuries, 1034
in knee injuries, 897, 932
anterior-posterior, in rotator cuff injuries, 817
posterior, in knee injuries, 898–899, 943
posterolateral
in posterior cruciate ligament injuries, 944
in posterolateral corner injuries, 970–971

Drop attacks, versus syncope, 191

Drop-arm test, in rotator cuff injuries, 787

Drug(s)
movement disorders induced by, 122–124
response to, genetic factors in. *See* Pharmacogenetics.
syncope due to, 190

Dynamic magnetic resonance imaging, in patellofemoral pain syndrome, 993

Dynamic posterior shift test, in posterior cruciate ligament injuries, 944

Dysmorphology, definition of, 604

Dysplasia, congenital, 609

Dystonia, drug-induced, 122–124

E

Ecogenetics, of thrombophilia, 682–684

Ectopic lentis, in Marfan syndrome, 738

Effusion, knee, 893, 930
in patellofemoral pain syndrome, 987

Elastic knee sleeve, for patellofemoral pain syndrome, 995

Elbow, nerve entrapments at, 54–56, 60–62

Elderly persons
antiepileptic drugs in, 93
headache in, 432–433
migraine in, 288–289
thrombophilia in, 691

Electrodiagnostic studies
in entrapment neuropathies, 58–59
in peripheral neuropathy, 69–70

Electroencephalography
in dementia, 133
in postconcussion syndrome, 7
in seizures, 88
in sleep disorders, 152
in syncope, 182

Electromyography, in peripheral neuropathy, 69–70

Eletriptan, for migraine, 407

"Empty can" position, 786, 790, 816

Encephalopathy
subacute spongiform, 146
with electrical status epilepticus of slow-wave sleep, 169

Endurance, improvement of, in multiple sclerosis, 217

Entacapone, for Parkinson's disease, 115

Entrapment neuropathies, **53–65**
at elbow, 60–62
at pelvis, 63
at wrist, 62–63
diagnosis of, 53, 58–59
median, 54, 60–62
neurogenic thoracic outlet syndrome, 59–60
of leg, 58, 64–65
radial, 56, 61–62
sciatic, 57, 63
sites of, 53–58
suprascapular neuropathy, 60
treatment of, 59
ulnar, 55, 61–62

Environmental factors
in anterior cruciate ligament injuries, 927–928
in diabetes mellitus, 747–750
in Parkinson's disease, 112–113
in thrombophilia, 682–684

Environmental toxins, risk for, polymorphisms altering, 549–550

Epilepsy. *See also* Seizures.
sleep disorders and, 167–169

Epworth sleepiness scale, 151

Erectile dysfunction, in multiple sclerosis, 222–223

Ergotamine
for cluster headache, 321
for medication overuse headache, 374–375
for migraine, 283, 407, 416
headache due to, 371–372

Essential tremor, 115–117

Estrogen(s)
anterior cruciate ligament injuries and, 929
for Alzheimer's disease, 138–139
for migraine, 288, 416, 427
for Turner syndrome, 632–634

Estrogen receptor-α gene variants, coronary artery disease risk and, 719

Ethnicity
in pedigrees, 485, 490
in prenatal screening, 561–565

Ethosuximide, for seizures, 89–90

Etilefrine, for syncope, 182

Eugenics movement, **525–541**
aftermath of, 535–536
American enthusiasm for, 527–529
cultural sensitivity and, 539
genetic counseling development from, 537
immigrant testing in, 531–532
implications for primary care, 537–538
intelligence testing in, 531–532
legacy of, 536–537
Nazi application of, 534–535
opposition to, 533–534
organizations for, 532–533
origins of, 526–527
popularization of, 532–533
racism and, 538–539
social stigmatization and, 538–539
sterilization in, 529–531

Eversion, of ankle, testing of, 1034

Evoked responses, in peripheral neuropathy, 70

Exercise
chronic exertional compartment syndrome in, 1013–1015
for acromioclavicular joint injuries, 863
for patellar tendinitis, 911–915
for rotator cuff injuries, 820–824
for shoulder instability, 876, 880–881

Exons, 464

Expression, gene, 461

External recurvatum test, in knee injuries, 944, 971

Extracorporeal shock wave therapy, for plantar fasciitis, 1020–1021

Eye
disorders of, in Marfan syndrome, 738–739
multiple sclerosis manifestations in, 204–210
pain in, in stabbing headache, 345–347
Wilson's disease manifestations in, 118

F

Facet joints
corticosteroid injections into, for whiplash injury, 14
disorders of, neck pain in, 27

Factor V Leiden mutation
drug response and, 549
thrombophilia in, 691–693

Falls, in multiple sclerosis, 218

Familial adenomatous polyposis, 656–659

Familial hemiplegic migraine, 263, 281

Family medical history, **479–495**
as gateway to genetic disorder identification, 479
emotionally charged information in, 492
in cancer, 666
in coronary artery disease, 709–712, 721–722
in diabetes mellitus, 753–755
in Family GENES mnemonic, 500
in genetic counseling, 513–514, 516
in genetic disorders, 450–451, 456–457, 506
in Marfan syndrome, 739
in prenatal screening, 562–565
in thrombophilia, 686, 696
interview for, 491–492
obtaining, 492–493
pedigree in. *See* Pedigrees.
targeted, 480
universal tool for, 493

Fasciotomy, for compartment syndrome, 1015

Fatigue
Achilles tendon injuries in, 1041
in multiple sclerosis, 217, 219–220

Fatty acid oxidation defects, newborn screening for, 585, 588–589

FBN1 gene mutations, in Marfan syndrome, 738–739

Femoral cutaneous nerve, lateral, entrapment of, 63

Femoral nerve, entrapment of, 63

Femoral notch width, anterior cruciate ligament injuries and, 928

Fetal cell sorting, in genetic disorder screening, 574

Fetus
environment of, diabetes mellitus risk and, 749–750
prenatal screening of. *See* Prenatal screening and diagnosis.

Fibrillin gene mutations, in Marfan syndrome, 738–739

Fibromyalgia, neck pain in, 28

Field defects, congenital, 613

Flexion testing, in shoulder injuries, 785

Fludrocortisone, for syncope, 182, 191

Fluorescent in-situ hybridization, in congenital anomalies, 614–615

Fluoxetine
for tension-type headache, 300
for Tourette's syndrome, 126

Fluphenazine, for Tourette's syndrome, 125

Fluvoxamine, for Tourette's syndrome, 126

Folic acid supplementation, for neural tube defect prevention, 561

Foot. *See also* Ankle injuries.
soft-tissue injuries of, 1018–1021

Foot drag, in multiple sclerosis, 218–219

Footballer's migraine, 4

Foot-strike angle, iliotibial band friction syndrome and, 1011

Founder effect, in genetic variation, 474

Fowler's sign, in rotator cuff injuries, 818

Fractures
calcaneal, 1063–1065
Maisonneuve's, 1032
Segond, 905
talar
dome, 1055–1059
lateral process, 1059–1060
posterior process, 1060–1062
vertebral compression, 44–45

Fragile X syndrome, **619–622**
clinical features of, 620–621
diagnosis of, 621
differential diagnosis of, 621
genetics of, 619–620
inheritance of, 620
management of, 621–622
natural history of, 620–621

Frameshift mutation, 468

Friction massage, for patellar tendinitis, 912

Frontotemporal dementia, 129, 143

Frovatriptan
for medication overuse headache, 373
for migraine, 407

Frozen shoulder, 821

Fumarylacetoacetate hydrolase deficiency, newborn screening for, 593

G

Gabapentin
for multiple sclerosis, 209
for seizures, 88–90
for short-lasting unilateral neuralgiform headache with

conjunctival injection and tearing, 341
for tension-type headache, 307

Gail model, for breast cancer risk estimation, 654

Gain of function mutations, 470

Gait analysis, in posterior cruciate ligament injuries, 945

Gait disorders
in multiple sclerosis, 216, 218
in normal-pressure hydrocephalus, 143–145

Galantamine, for Alzheimer's disease, 138

Galton, Francis, as eugenics founder, 526–527

Gammopathy, peripheral neuropathy in, 71

Ganglionopathy, 68

Gastrocnemius muscle
flexibility of, in patellofemoral pain syndrome, 989
strains of, 1016–1018
tight, patellofemoral pain syndrome in, 982–983

Gender differences. *See also* Women.
in patellofemoral pain syndrome, 984–985
in rotator cuff injuries, 813

Gene(s)
association of, 474–477
candidate, 475
linkage of, 474–477
mutations of. *See* Mutations.
polymorphism of, 466, 473
selection of, 473–474
structure and function of, 462–465
transmission of, 468–472

Genetic(s)
counseling on. *See* Counseling, genetic.
cultural myths about, 455–456
current applications of, **449–460**
determinism in, 454–455
drug response and. *See* Pharmacogenetics.
eugenics movement in, **525–541**
expertise on, 452–453
family medical history in. *See* Family medical history.
future applications of, **449–460**
in patient care, 454–455
misconceptions about, 498
newborn screening and, **581–602**
of cancer, **645–679**
of congenital anomalies, **603–617**
of coronary artery disease, **707–735**
of diabetes mellitus, **741–764**
of Down syndrome, 623–630
of essential tremor, 116
of fragile X syndrome, 619–622
of hemochromatosis, **765–768**
of Huntington's disease, 118–120
of Klinefelter's syndrome, 637–641
of Marfan syndrome, **737–740**
of multiple sclerosis, 201
of Parkinson's disease, 112
of thrombophilia, **681–705**
of Tourette's syndrome, 124
of Turner's syndrome, 630–636
prenatal screening and, **559–580**
principles of, **461–478**
epidemiology, 472–477
gene structure and function, 462–465
human genome, 465–466
information sources for, 477–478
mutations, 466–468. *See also* Mutations.
transmission patterns, 468–472
red flags in, **497–508**
training for, 452

Genetic testing
benefits of, 453
characteristics of, 517
counseling after, 514
counseling before, 513–514
harmful effects of, 454
in cancer, 664–667
in congenital anomalies, 613–615
usefulness of, 453–454
utility of, 516–517, 521

Genome, 465–466
information on, 477–478
scanning of, 452

Genotype, definition of, 469

Genotyping, data storage for, 451–452

Gerber push-off test, in rotator cuff injuries, 816

Gestational diabetes. *See* Diabetes mellitus, gestational.

Glatiramer acetate, for multiple sclerosis, 208, 210

Glaucoma, headache in, 386

Glenohumeral joint
anatomy of, 808–809
instability of, **867–886**
anatomic considerations in, 867–871

Glenohumeral (*continued*)
biomechanics of, 867–871
dislocation in
first-time, 878–879
recurrent, 874
traumatic, 872–873
treatment of, 876, 878–879
Hill-Sachs lesion in, 873
laxity in, 870–871, 875–877
multidirectional, 875–876, 879
pathoanatomy of, 867–871
physical examination in, 871
posterior, 879
rehabilitation in, 879–881
repetitive microtrauma in, 874
return to play or work in, 881–883
rotator cuff symptoms in, 817–818
SLAP lesions in, 875
subluxation in, 874
traumatic, 872–873
treatment of, 876, 878–879

Glenoid labrum injuries, superior labrum, anterior-posterior lesions. *See* SLAP (superior labrum, anterior-posterior) lesions.

Gliosis
in Huntington's disease, 120
in multiple sclerosis, 203–204

Glucose intolerance, in Turner syndrome, 636

Glutaric acidemia, newborn screening for, 596–597

Gluteal muscles, weakness of, patellofemoral pain syndrome in, 982

Glycoprotein receptors, coronary artery disease risk and, 718

Glycosaminoglycan polysulfate injections, for patellofemoral pain syndrome, 995–996

Godfrey test, in posterior cruciate ligament injuries, 944

Gonadal dysgenesis, in Turner syndrome, 630

Gout, in knee joint, 902

Growth charts, for Down syndrome, 625–626

Growth hormone, for Turner syndrome, 632

Guillain-Barré syndrome, 67–68

Guyon's canal, ulnar nerve entrapment in, 62–63

Gynecomastia, in Klinefelter's syndrome, 638

H

Haloperidol, for Tourette's syndrome, 125–126

Hamstring graft, for anterior cruciate ligament injuries, 937–938

Hamstring muscles
flexibility of, in patellofemoral pain syndrome, 989
strain of, 1008–1009

Hardy-Weinberg equation, for allele frequency, 473

Hawkins test, in rotator cuff injuries, 786, 814

Hawkins-Kennedy impingement sign, 793–795

Head injury, mild, postconcussion syndrome after, 1–9

Headache(s)
cervicogenic, 389–390
chronic daily. *See* Chronic daily headache.
classification of, International Headache Society, 244–248
cluster. *See* Cluster headaches.
comorbidities with, 240, 296, 305–307
diagnosis of
algorithm for, 248, 257
barriers to, 253–254
migraine, 251–253, 262–263, 277–282, 403–405, 425–426
mistakes in, **391–401**
"New Clinical Headache Paradigm" for 2003, 256–258
office studies of, 254–256
overview of, 248–250
patient recognition in, 253–254
tension-type, 398–400
difficult, **425–436**
economic impact of, 237–241
education on, Primary Care Migraine Partnership for, 251–252
epidemiology of, **237–241**
history of, 392
hypnic, 343–345, 432
idiopathic stabbing, 345–347
in postconcussion syndrome, 3–5, 8–9
in whiplash injury, 11
in women, **413–424**

medication overuse, **367–378**
migraine. *See* Migraine.
misdiagnoses of, **391–401**
migraine, 393–395
sinus, 395–398
tension-type, 398–400
new daily persistent, 360–361
overlap between, 238
post-traumatic, 370–371, 431–432
primary, **331–350**. *See also* Cluster headaches; Migraine; Tension-type headaches.
chronic paroxysmal hemicrania, 337–340
episodic paroxysmal hemicrania, 340
hemicrania continua, 334–337, 361–363
hypnic, 343–345, 432
idiopathic stabbing, 345–347
miscellaneous, **331–350**
pathophysiology of, **261–276**
cluster, 271–274
migraine, 262–270
tension, 270–271
short-lasting unilateral neuralgiform headache with conjunctival injection and tearing, 340–341
thunderclap, 342–343, 384, 431
trigeminal autonomic cephalalgias, 333–341
types of, 331–333
without autonomic dysfunction, 341–347
rebound. *See* Medication overuse headaches.
secondary, **379–390**
classification of, 383–384
danger signs in, 379–380
diagnosis of, 391–392
history of, 380–381
imaging in, 382–383
physical examination in, 381–382
versus primary headaches, 379–380
with acute sudden onset, 383–386
with insidious chronic buildup, 383–384, 388–390
with subacute presentation and rapid buildup, 383, 386–388
short-lasting unilateral neuralgiform headache with conjunctival injection and tearing, 340–341
sinister, 332
sinus, 256, 387, 395–398
sleep-related, 169
sudden onset of, 342–343, 430–431
tension-type. *See* Tension-type headaches.
thunderclap, 342–343, 384, 431
treatment of. *See also specific headache types.*
United States Headache Consortium Guidelines for, 250–251

Hearing loss, in Turner syndrome, 636

Heart defects
in Down syndrome, 626
in Marfan syndrome, 738–739
in Turner syndrome, 632, 635

Hematoma
epidural, in postconcussion syndrome, 5–6
quadriceps muscle, 1006
subdural
headache in, 385, 388
in postconcussion syndrome, 5

Hemicrania, paroxysmal hemicrania
chronic, 337–340
episodic, 340

Hemicrania continua, 334–337, 361–363

Hemiplegic migraine, 430
familial, 263, 281

Hemochromatosis, **765–768**
case example of, 765–766
clinical features of, 766
diagnosis of, 766–767
differential diagnosis of, 767
genetics of, 766
inheritance of, 766
management of, 767
natural history of, 766

Hemorrhage, subarachnoid, headache in, 342–343, 384, 414–415

Hemorrhagic stroke. *See under* Cerebrovascular disease.

Herniation, intervertebral disk
cervical, 24, 28–29
lumbar, 48–49

Heteroplasmy, in mitochondrial inheritance, 472

Heterozygosity, 469

HFE gene mutations, in hemochromatosis, 766–767

"High hamstring strain," 1008

Hill-Sachs lesion, 873

Hip flexor muscles, flexibility of, in patellofemoral pain syndrome, 989–990

Histamine desensitization, for cluster headache, 324–325

History, family. *See* Family medical history.

Hitler, Adolf, eugenics applications of, 534–535

HNF-1α gene mutations, in diabetes mellitus, 757

Homocysteinemia
coronary artery disease risk in, 712–713
newborn screening for, 594
thrombophilia in, 695

Homozygosity, 469

Hormone(s), sex-specific, in anterior cruciate ligament injury, 929

Hormone replacement therapy, thrombophilia and, 689–690

Human chorionic gonadotropin, measurement of, in prenatal screening, 565–566, 568

Human genome, 465–466
information on, 477–478
scanning of, 452

Human leukocyte antigens
in diabetes mellitus, 744
in multiple sclerosis, 201

Huntington's disease, 118–122
definition of, 118
dementia in, 130, 145
epidemiology of, 118–119
genetic factors in, 118–120

Hydrocephalus
normal-pressure, dementia in, 143–145
obstructive, headache in, 386

Hydroxyzine, for medication overuse headache, 373

Hyperabduction test, in neck pain, 22

Hypercholesterolemia, familial, 502, 505

Hyperextension injury, of neck, 9–15

Hyperflexion, posterior cruciate ligament injuries in, 942

Hyperhomocysteinemia
coronary artery disease risk in, 712–713
thrombophilia in, 695

Hyperlipidemia, pharmacogenetics of, 552

Hyperperfusion, brain, 99–100

Hyperphenylalaninemia, newborn screening for, 592–593

Hypersomnia, 157–159

Hypertension
intracerebral hemorrhage in, 98–99
intracranial, headache in, 389, 414
malignant, headache in, 385
obstructive sleep apnea in, 154

Hypnic headache, 343–345, 432

Hypnic jerks, 167

Hypocretin deficiency, narcolepsy in, 157–158

Hypopnea, in sleep, 156

Hypotension, orthostatic. *See* Orthostatic hypotension.

I

Ibuprofen, for migraine, 406–407, 409

Idiopathic stabbing headache, 345–347

Ischiogluteal bursitis, 1009–1010

Iliotibial band
flexibility of, in patellofemoral pain syndrome, 989–990
tight, patellofemoral pain syndrome in, 983

Iliotibial band friction syndrome, 1010–1011

Immigrants, eugenics movement and, 531–533

Immobilization, for shoulder instability, 876, 878

Immunoglobulin(s), intravenous
for multiple sclerosis, 214
for peripheral neuropathy, 79–80

Immunoglobulin M, in chronic inflammatory demyelinating polyneuropathy, 76

Immunotherapy, for peripheral neuropathy, 78–82

Impingement syndrome
rotator cuff, 812
shoulder. *See* Shoulder impingement syndrome.

Imprinting, genetic, 471

Inborn errors of metabolism, tandem mass spectrometry screening for. *See* Newborn screening, tandem mass spectrometry in.

Incontinence, urinary, in normal-pressure hydrocephalus, 143–145

Inderal, for migraine, 286

Indomethacin
for hemicrania continua, 336–337
for paroxysmal hemicrania, 339–340
for stabbing headache, 347

Infections
dementia in, 130, 133
pharmacogenetics of, 552

Infertility, in Klinefelter's syndrome, 639

Inflammation, in multiple sclerosis, 203–204, 215

Inflammatory demyelinating polyneuropathy
acute (Guillain-Barré syndrome), 68
chronic, 74–77

Infraspinatus muscle
anatomy of, 810
examination of, in rotator cuff injuries, 814, 816

Inheritance
Mendelian, database for, 477–478
mitochondrial, 471–472, 488
multifactorial, 472, 488
of hemochromatosis, 766
of thrombophilia, 685
patterns of, identified in pedigree, 483–484, 486–488

Insertion, in mutation, 466–468

Insertional tendonitis, Achilles, 1041–1043

Insomnia, 159–161

Insulin gene, variations of, in diabetes mellitus, 744

Insulin resistance
coronary artery disease risk and, 714, 722
in obesity, 748–749

Intelligence testing, in eugenics movement, 531–532

Interferon beta-1a
for multiple sclerosis, 207–208
for peripheral neuropathy, 82

Interferon beta-1b, for multiple sclerosis, 208, 211

Internal shoulder impingement, 799–802

International Headache Society
classification of, 244–248
migraine diagnostic criteria of, 277–279

Intervertebral disk herniation
cervical, 24, 28–29
lumbar, 48–49

Intracerebral hemorrhage, 98–99

Intracompartmental pressure measurement, in compartment syndrome, 1014

Intracranial hypertension, headache in, 389, 414

Intranuclear ophthalmoplegia, in multiple sclerosis, 209–210

Introns, 464, 468

Inversion
in mutation, 468
of ankle, testing of, 1034

Iontophoresis, for rotator cuff injuries, 821

Iron overload. *See* Hemochromatosis.

Ischemia, cerebral, headache in, 387

Ischemic stroke. *See under* Cerebrovascular disease.

Isovaleric acidemia, newborn screening for, 596–597

J

J sign, in patellofemoral pain syndrome, 987

Janetta procedure, for cluster headache, 324

Jet lag, sleep disorders in, 163–164

Jobe model, of SLAP lesions, 835

Jobe's test, in rotator cuff injuries, 817

Juvenile myoclonic epilepsy, 168–169

K

Karyotype analysis, 574–575
in congenital anomalies, 613–625
in Down syndrome, 624
in Turner syndrome, 632

Kayser-Fleisher ring, in Wilson's disease, 118

Kibler anterior slide test, in SLAP lesions, 837

Kidney, anomalies of, in Turner syndrome, 635

Klinefelter's syndrome, 637–641
etiology of, 637
features of, 637–638

Klinefelter's (*continued*)
interventions for, 638–640
prenatal diagnosis of, 637

Knee injuries, **887–908**
anatomic considerations in, 887–889
biomechanics of, 887–889
collateral ligament
lateral, 966–973
medial, 957–973
posterolateral, 966–973
cruciate ligament, **925–956**
effusion in, 930
epidemiology of, 887
history of, 889
iliotibial band friction syndrome, 1010–1011
laboratory studies in, 901–902
patellar tendinitis and dislocations, **909–924**
patellofemoral pain syndrome, **977–1003**
physical examination in, **887–908**
anterior cruciate ligament, 930–933
in patellofemoral pain syndrome, 986–991
lateral collateral ligament, 968–971
medial collateral ligament, 959–961
posterior cruciate ligament, 942–945
radiography in, 902–905

L

Laboratory values
in coronary artery disease evaluation, 722
surprising, in genetic disorders, 504–505

Lachman test
in knee injuries, 896–897
anterior cruciate ligament, 930–931
medial collateral ligament, 961
reverse, in medial collateral ligament injuries, 961

Lamotrigine
for seizures, 89–90
for short-lasting unilateral neuralgiform headache with conjunctival injection and tearing, 341

Landmark Study, of headache, 255–256

Large fiber neuropathy, 67

Lateral collateral ligament injuries, 966–973
anatomic considerations in, 966–968
epidemiology of, 966
history of, 968
imaging in, 971–972
physical examination in, 895–896, 968–971
treatment of, 972–973

Lateral patellar compression syndrome, 991–992, 996

Lateral retinaculum, tight, patellofemoral pain syndrome in, 982–983

Laughter-associated syncope, 179

Laxity
of glenohumeral joint, 870–871, 875–877
of knee, anterior cruciate ligament injuries and, 928–929

Learning disabilities
in Klinefelter's syndrome, 638
in Turner syndrome, 634

Leucine, elevated, newborn screening for, 593–594

Leukoaraiosis, 140

Levetiracetam, for seizures, 88–90

Levodopa, for Parkinson's disease, 114

Lewy bodies
in dementia, 129–131, 141–142
in Parkinson's disease, 113

Lhermitte's phenomenon, in multiple sclerosis, 208–209

Lhermitte's test, in neck pain, 22

Lidocaine, for cluster headache, 318–319

Life cycle, genetic counseling and, 521

Lifestyle modifications
for diabetes mellitus prevention, 755–756
for migraine, 284–285, 405–406

Li-Fraumeni syndrome, cancer in, 652

"Lift-off" position, for shoulder examination, 791

Linkage, genetic, 474–477

Lipoprotein(a), coronary artery disease risk and, 713

Lipoprotein profile, coronary artery disease risk and, 713

5-Lipoxygenase polymorphisms, coronary artery disease risk and, 718–719

Lithium, for cluster headache, 321

Litigation
postconcussion syndrome and, 9
whiplash injury and, 14–15

Local anesthetics, for cluster headache, 318–319

Locus, of allele, 468

Long-chain hydroxyacyl-CoA dehydrogenase deficiency, newborn screening for, 599

Loss of function mutations, 469–470

Low back pain, **33–51**
anatomic considerations in, 34–36
clinical syndromes of, 42–46
history in, 39–40
pathophysiology of, 36–39
physical examination in, 40–42
prevalence of, 33
risk factors for, 34
tests for, 46–47
treatment of, 47–50

Lower extremity. *See also* Ankle injuries; Knee injuries.
malalignment of
Achilles tendonopathy in, 1041
patellofemoral pain syndrome in, 981–982
soft-tissue injuries of, **1005–1024**
anterior thigh, 1005–1007
calf, 1013–1018
foot, 1018–1021
iliotibial band friction syndrome, 1010–1011
posterior thigh, 1007–1010
shin, 1011–1013, 1015

Lung cancer, risk of, polymorphisms altering, 549–550

M

MacIntosh test, in knee injuries, 897–898

McMurray's maneuver
in knee injuries, 899–900
in SLAP lesions, 836–839

Magnesium, for menstrual migraine, 426

Magnetic resonance angiography, in dementia, 134

Magnetic resonance imaging
in anterior cruciate ligament injuries, 933–934
in biceps injuries, 849
in calcaneal fractures, 1064
in compartment syndrome, 1014–1015
in dementia, 132–133
in knee injuries, 905
in lateral collateral ligament injuries, 972
in medial collateral ligament injuries, 962–963
in medial tibial stress syndrome, 1012
in migraine, 266
in multiple sclerosis, 203, 205–206
in patellar tendinitis, 911
in patellofemoral pain syndrome, 992
in postconcussion syndrome, 7
in posterior cruciate ligament injuries, 945
in rotator cuff injuries, 819–820
in seizures, 88
in shoulder impingement syndrome, 797
in SLAP lesions, 843
in syncope, 181
in talar fractures
dome, 1057–1058
posterior process, 1061–1062
in thunderclap headache, 343
in whiplash injury, 13

Maisonneuve's fracture, 1032

Major anomalies, congenital, 604

Malformations, congenital, 607–608, 615

Malignant hypertension, headache in, 385

Manometry, for compartment syndrome, 1014

Maple syrup urine disease, 501, 593–594

Mapping, gene, 474

Marfan syndrome, **737–740**
case example of, 737
diagnosis of, 738–739
differential diagnosis of, 739
features of, 738
genetics of, 738
management of, 739–740
natural history of, 738

Mass spectrometry, tandem, in newborn screening. *See* Newborn screening, tandem mass spectrometry in.

Massage
for compartment syndrome, 1015
for muscle strains, 1007
for patellar tendinitis, 912

Mastectomy, prophylactic, for breast cancer, 653

Maturity onset diabetes of the young (MODY), 744–745

Medial collateral ligament injuries, 957–966
anatomic considerations in, 958–959
epidemiology of, 957–958
grading of, 960–961
history of, 959
imaging in, 961–963
physical examination in, 895, 959–961
prevention of, 965–966
treatment of, 963–966

Medial tibial stress syndrome, 1011–1013

Median nerve, compression of, 54, 60–62

Medical history, family. *See* Family medical history.

Medication overuse headaches, **367–378**
case studies of, 369–372
epidemiology of, 368
historical review of, 367–368
mechanisms of, 372
treatment of, 372–376

Medium-chain acyl-CoA dehydrogenase deficiency, newborn screening for, 586, 597

Melatonin
for Alzheimer's disease, 138
for cluster headache, 322–323
for jet lag, 163–164

Memantine, for Alzheimer's disease, 138–139

Memory disorders, in dementia. *See* Dementia.

Mendelian inheritance, database for, 477–478

Meningitis, headache in, 386–387

Meniscal tears
evaluation of, 899–900
in anterior cruciate ligament injuries, 934

Menopause, headache in, 288, 422

Menstrual cycle
anterior cruciate ligament injuries and, 929
migraine and, 287–288, 415–416, 426–427

Mental retardation
in Down syndrome, 625–626
in fragile X syndrome, 619–622
in genetic disorders, 502–503

Metabolism, inborn errors of, tandem mass spectrometry screening for. *See* Newborn screening, tandem mass spectrometry in.

Metformin, for diabetes mellitus prevention, 752

Methadone, for tension-type headache, 302–303

Methionine, elevated, newborn screening for, 594

Methotrexate, for multiple sclerosis, 214, 216

Methylation studies, in congenital anomalies, 615

3-Methylcrotonyl carboxylase deficiency, screening for, 589–590

3-Methylcrotonyl-CoA carboxylase deficiency, newborn screening for, 596

Methylenetetrahydrofolate reductase defects, coronary artery disease risk in, 717

Methylmalonyl-CoA mutase deficiency, newborn screening for, 595–596

Methylphenidate, for narcolepsy, 158

Methylprednisolone, for multiple sclerosis, 205, 210–211

Metoclopramide, for medication overuse headache, 374–375

Microsatellite instability, in hereditary nonpolyposis colorectal cancer, 663

Micturition, syncope in, 179

Midodrine, for syncope, 182, 191

Migraine, **277–292**
acephalgic, 265–266
autonomic involvement in, 269–270
basilar, 430
case studies of, 394–395
chronic
clinical features of, 359–360
criteria for, 358–359
definition of, 359
prevention of, 360
clinical features of, 245–246, 263–266, 279–281
criteria for, 277–279
diagnosis of, 251–253, 262–263, 277–282, 403–405, 425–426
office studies of, 254–256
epidemiology of, 238–239, 277, 403–405
hemiplegic, 263, 281, 430
in elderly persons, 432
in pediatric patients, **403–411**
diagnosis of, 403–405
epidemiology of, 403–405

treatment of, 405–410
in postconcussion syndrome, 4
in pregnancy, 417–420, 427–428
in triptan syndrome, 430
in women, 413–414
intractable, 428–429
menstrual-associated, 287–288, 415–416, 426–427
misdiagnosis of, 393–395
neurogenic theory of, 281
neuroimaging in, 266
oral contraceptives and, 416–417
pathophysiology of, 262–270, 281
patient education on, 405
patient recognition of, 254–256
peripheral influences on, 268–269
phases of, treatment related to, 284
post-traumatic, 431–432
prodrome of
clinical features of, 264
treatment of, 284
recognition strategies for, 252–253
transformed, 369–370, 429–430
treatment of
abortive, 282–284
in elderly persons, 288–289
in menopause, 288
in pediatric patients, 289, 405–410
in pregnancy, 287, 418–420
menstrual-associated, 287–288
nonpharmacologic, 284–285, 405–406
pharmacologic, 406–410
preventive, 285–286
stage-specific, 284
triggers of, 264, 285
undiagnosed, 425–426
versus sinus headache, 256, 397–398

Migraine Disability Assessment Scale, 239

Minor anomalies, congenital, 604–606

"Miserable malalignment syndrome," 982

Mitochondrial inheritance, 471–472, 488

Mitroxantrone, for multiple sclerosis, 212, 214

MLH gene mutations, in hereditary nonpolyposis colorectal cancer, 661, 663–664

Modafinil, for fatigue, in multiple sclerosis, 219

MODY (maturity onset diabetes of the young), 744–745

Monoclonal antibodies, for peripheral neuropathy, 82

Monoclonal gammopathy of unknown significance, peripheral neuropathy in, 71

Mononeuropathy multiplex, 67

Monosomy, 45,X, in Turner syndrome, 630

Mood disorders, with tension-type headache, 307

Morgan-Burkhart peel back model, of SLAP lesions, 835

Motor neuronopathy, 76

Movement disorders, **111–127**
drug-induced, 122–124
essential tremor, 115–117
Huntington's disease, 118–122, 130, 145
in Down syndrome, 628
Parkinson's disease. *See* Parkinson's disease.
Tourette's syndrome, 124–126
Wilson's disease, 117–118

"Movie theatre sign," in patellofemoral pain syndrome, 985

MSH gene mutations, in hereditary nonpolyposis colorectal cancer, 661, 663–664

Muller, Hermann, in eugenics movement, 534

Multidirectional shoulder instability, 875–876, 879

Multifactorial inheritance, 472, 488

Multi-infarct dementia, 130, 139–141

Multiple acyl-CoA dehydrogenase deficiency, newborn screening for, 600

Multiple sclerosis, **201–226**
breakthrough disease in, 211
classification of, 202–203
diagnosis of, 203
differential diagnosis of, 206–207
epidemiology of, 201
genetic factors in, 201
natural history of, 201–202
neuropathology of, 203–204
relapsing remitting, 208–210
transitioning to secondary progressive disease, 213, 215–223
with rapid progression of disability, 211–214
with clinically isolated syndrome, 206–208

Multiple sleep latency test, 153

Multiple system atrophy, 189

Muscle(s), lower extremity, injuries of. *See* Lower extremity, soft-tissue injuries of.

Muscle relaxants, for low back pain, 47–48

Mutations. *See also specific genes and disorders.*
in congenital anomalies, 615
in dysplasia, 609
in mitochondrial DNA, 471–472
in single gene disorders, 469–472
of DNA repair genes, cancer risk in, 549–550
principles of, 466–468
selection and, 473–474

Mycophenolate
for multiple sclerosis, 216
for peripheral neuropathy, 81–82

Myelin ovoids, in peripheral neuropathy, 73

Myelin-associated glycoprotein, antibodies to, in chronic inflammatory demyelinating polyneuropathy, 75–76

Myelography, computed tomography, in whiplash injury, 13

Myelopathy, neck pain in, 24–26

MYH gene mutations, colorectal cancer and, 660

Myocardial infarction, susceptibility to. *See* Coronary artery disease, genetics of.

Myoclonus, benign nocturnal, 167

N

Naproxen
for medication overuse headache, 373
for migraine, 286, 406
for multiple sclerosis, 207

Naratriptan
for medication overuse headache, 373
for migraine, 407, 416, 427

Narcolepsy, 157–159

Narcotics. *See* Opioids.

Nausea and vomiting, in migraine, 280

Neck pain, **19–31**
anatomic considerations in, 20–21
chiropractic manipulation for, 29
history in, 21
in disk herniation, 28–29
in facet joint disorders, 27
in fibromyalgia, 28
in radiculopathies, 23, 28
in spinal stenosis, 25–26
in whiplash injury, 9–15, 26–27
nonradiating, 22–23
physical examination in, 21–22
prevalence of, 19
risk factors for, 19–20
treatment of, 22–23, 28–29
versus shoulder impingement syndrome, 789–790

Neer impingement sign, 786, 792–795

Neer's test, in rotator cuff injuries, 814

Nefazodone, for tension-type headache, 306

Nerve biopsy, in peripheral neuropathy, 73

Nerve conduction studies
in entrapment neuropathies, 58–59
in peripheral neuropathy, 69–70

Neural tube defects
prenatal screening for, 565
prevention of, folic acid supplementation for, 561

Neuralgia
in multiple sclerosis, 209
occipital, in postconcussion syndrome, 4–5

Neurogenic theory of migraine, 281

Neuroleptic malignant syndrome, 122–124

Neurologic disorders
in Down syndrome, 628
in genetic disorders, 502–503

Neurologic examination, in back pain, 40–41

Neurology
cerebrovascular disease, **95–109,** 130, 139–141
dementia, **129–148**
entrapment neuropathies, **53–65**
low back pain, **33–51**
movement disorders, **111–127**
multiple sclerosis, **201–226**
neck pain, **19–31**
peripheral nerve disorders, **67–83**
postconcussion syndrome, 1–9
seizures. *See* Seizures.
sleep disorders, **149–174**
syncope, **175–199**
whiplash injuries, 9–15, 26–27

Neuromechanical tests, in back pain, 40, 42

Neuromuscular function, decreased, in anterior cruciate ligament injuries, 935

Neuronal stabilizing agents, for tension-type headache, 300–302

Neuronopathy, 67–68

Neuropathy, entrapment. *See* Entrapment neuropathies.

Neurophysiologic testing, in dementia, 132

Neurotransmitters, in tension-type headache, 296

Nevi, in Turner syndrome, 636

"New Clinical Headache Paradigm" for 2003, 256–258

New daily persistent headache, 360–361

Newborn screening, tandem mass spectrometry in, **581–602**
abnormal results in
catalog of, 592–600
response to, 590–591
benefits of, 584, 586–588
disorders screened by, 585–586
false-negative results in, 588–589
false-positive results in, 589–590
principles of, 582–584

Niacin, for coronary artery disease risk modification, 724

Nicotine, pharmacogenetics of, 550–551

Night terrors, 166

Nightmares, 165–167

Nondirective genetic counseling, 515–516

Nonpenetrance, of genetic disorders, 470–471

Nonsteroidal anti-inflammatory drugs
for Achilles tendonopathy, 1045
for acromioclavicular joint injuries, 864
for low back pain, 47
for migraine, 286, 406
for patellofemoral pain syndrome, 995
for shoulder impingement syndrome, 798

Norepinephrine, in tension-type headache, 296

Nortriptyline, for tension-type headache, 299

Nuchal translucency, in Down syndrome, 568–569, 625

Numbness, in multiple sclerosis, 211–212

O

Ober's test
in iliotibial band friction syndrome, 1011
in knee injuries, 900–901

Obesity
diabetes mellitus and, 747–749
in Down syndrome, 629
obstructive sleep apnea in, 151, 154–156

O'Brien test (active compression test)
in rotator cuff injuries, 817
in SLAP lesions, 839–840

Obstructive sleep apnea, 151, 153–156

Occipital neuralgia, in postconcussion syndrome, 4–5

O'Donoghue classification, of knee injuries, 896

Olanzapine, for Alzheimer's disease, 138

Online Mendelian Inheritance in Man (OMIM), 477–478

Ophthalmoplegia, intranuclear, in multiple sclerosis, 209–210

Opioids
for migraine, 284, 286, 406, 429
for tension-type headache, 302–303

Optic neuritis, in multiple sclerosis, 204–208

Oral contraceptives
anterior cruciate ligament injuries and, 929
migraine associated with, 416–417
thrombophilia and, 689–690

Organic acidemias, newborn screening for, 585

Orthopedic problems, in Down syndrome, 628

Orthosis
for foot drag, in multiple sclerosis, 218–219
for patellofemoral pain syndrome, 995

Orthostatic hypotension
acute-onset, 188
autonomic dysfunction in, 184–185, 187
diagnosis of, 180–182
in autonomic failure, 189–190
in diabetes mellitus, 187–188
in paraneoplastic syndromes, 188–189
mechanisms of, 192–193
terminology of, 192
treatment of, 182–183, 190–191, 193

Os acromiale, radiography of, 797

Os trigonum, 1060, 1062

Osteoarthritis
of acromioclavicular joint, 864
of knee, radiography in, 904–905

Osteochondral lesions, in anterior cruciate ligament injuries, 934–935

Osteochondritis dissecans, Wilson's test for, 892–893

Osteolysis, distal clavicle, 864–865

Osteoporosis, in multiple sclerosis, 218

Osteotomy, derotational, for shoulder impingement syndrome, 802

Ottawa ankle rules, 1036

Ovarian cancer, genetic susceptibility to, 649–655

Overuse injuries
of Achilles tendon, **1039–1054**
of acromioclavicular joint, 864–865
patellofemoral pain syndrome in, 981

Oxandrolone, for Turner syndrome, 633

Oxcarbazepine, for seizures, 89–90

Oxybutynin, for bladder dysfunction, in multiple sclerosis, 220–221

Oxycodone, for tension-type headache, 302–303

Oxygen therapy, for cluster headache, 317–318

P

Pacemaker, cardiac, for syncope, 183

Pain
back. *See* Low back pain.
calf, in soft-tissue injuries, 1013–1018
foot, in soft-tissue injuries, 1018–1021
head. *See* Headache(s).
in Achilles rupture, 1047
in Achilles tendonopathy, 1043–1044
in acromioclavicular joint injuries, 858, 864
in anterior cruciate ligament injuries, 930–933
in biceps injuries, 848
in bifurcate ligament injuries, 1065–1066
in iliotibial band friction syndrome, 1010–1011
in knee injuries, 889
in lateral collateral ligament injuries, 968–969
in medial collateral ligament injuries, 959–960
in patellar tendinitis, 909
in posterior cruciate ligament injuries, 942–944
in rotator cuff injuries, 813–818
in talar fractures, 1055–1062
neck. *See* Neck pain.
patellofemoral, **977–1003**
shin, in soft-tissue injuries, 1011–1013, 1015
syncope triggered by, 179
thigh, in soft-tissue injuries
anterior, 1005–1007
posterior, 1007–1010

Pain provocation test, in SLAP lesions, 841

Palpation, of ankle, 1032–1033

Paraneoplastic syndromes, syncope in, 188–189

Paraproteinemia, peripheral neuropathy in, 71

Parasomnias, 164–167

Paratenonitis/peritendonitis, Achilles, 1042–1044

Paresthesia, in whiplash injury, 11

Parkinsonism, drug-induced, 122–124

Parkinson's disease, 111–115
autonomic failure in, 189–190
clinical manifestations of, 111–112
definition of, 111
dementia in, 130, 142–143
diagnosis of, 113
differential diagnosis of, 113
epidemiology of, 112
neuropathology of, 113
pathogenesis of, 112–113
treatment of, 114–115

Paroxetine
for tension-type headache, 300
for Tourette's syndrome, 126

Paroxysmal hemicrania
chronic, 337–340
episodic, 340

Paroxysmal symptoms, in multiple sclerosis, 209

Patella
congenital anomalies of, 983–984
dislocation of, 916–921
classification of, 916–917
incidence of, 916
mechanism of injury in, 916
treatment of, 917–921
examination of, 893–895

Patella alta, 904, 983

Patella baja, 983–984

Patellar tendinitis, 909–916
description of, 909
diagnosis of, 911
incidence of, 910–911
predisposing factors for, 910–911
prevention of, 912
prognosis for, 912, 914
protocol for, 913–914
treatment of, 911–915

Patellar tilt test
in knee injuries, 893, 903–904
in patellofemoral pain syndrome, 987, 992

Patellar tracking, 892, 979
in patellofemoral pain syndrome, 987

Patellofemoral joint reaction force, 978–979
in patellofemoral pain syndrome, 983

Patellofemoral pain syndrome, **977–1003**
age considerations in, 984
anatomic considerations in, 978–980
biomechanics of, 978–979
diagnosis of, 985–993
gender differences in, 984–985
history of, 985–986
imaging in, 991–993
mechanism of injury in, 980
pain physiology in, 980
physical examination in, 986–991
prognosis for, 996
risk factors for, 980–985
terminology of, 977–978
treatment of
nonoperative, 993–996
surgical, 996

PCL injuries. *See* Posterior cruciate ligament injuries.

Pediatric patients
acromioclavicular joint injuries in, 859–860
anterior cruciate ligament injuries in, 938–939
migraine in, **403–411**
diagnosis of, 403–405
epidemiology of, 403–405
treatment of, 289, 405–410
parasomnias in, 166–167
sleep apnea in, 157
thrombophilia in, 687–688

Pedigrees
drawing, 484–485
educational value of, 483
ethnic background in, 485, 490
for cancer, 668
for coronary artery disease, 721–722
for diabetes mellitus, 753–754
for inheritance pattern recognition, 483–484, 486–488
for patient rapport development, 481, 483
for prenatal screening, 562–565
for thrombophilia, 686
information recorded in, 485, 489–491
interview for, 491–492
nomenclature for, 484, 489
symbols for, 490
uses for, 479–482

Pelvis, nerve entrapments at, 63

Penetrance, of genetic disorders, 471

Penicillamine, for Wilson's disease, 118

Periodic limb movement disorder, 161–162

Peripheral neuropathy, **67–83**
acute inflammatory demyelinating polyneuropathy, 68
chronic inflammatory demyelinating polyneuropathy, 74–77
electrodiagnostic studies in, 69–70
history in, 68
neurologic examination in, 68–69
pathology of, 71–73
serologic studies in, 71
terminology of, 67–68
treatment of, 77–82

Peroneal nerve
entrapment of, 64, 1016
injury of, in posterior cruciate ligament injuries, 944–945

Peroneal tendons, evaluation of, 1034–1035

Peroxisome proliferator-activated receptor, defects of, in diabetes mellitus, 745–746, 749

Pes anserinus tendonopathy and bursitis, 1015–1016

Peutz-Jeghers syndrome, cancer in, 652, 663

Phalen's maneuver, in carpal tunnel syndrome, 62

"Phantom foot" device, for anterior cruciate ligament injury prevention, 881

Pharmacogenetics, **543–558**
definition of, 543–545
future of, 451
in new drug identification, 553
polymorphisms in
altered drug response and, 545–549
altered environmental toxicology risk and, 549–550

Pharmacogenetics (*continued*)
drug efficacy and, 550–553
research result validity in, 553–554
therapeutic implications of, 554–556

Phenotype, definition of, 469

Phenylalanine, elevated, newborn screening for, 592–593

Phenylketonuria, inheritance of, 470

Phenytoin, for seizures, 88–90

Phlebotomy, for hemochromatosis, 767

Photophobia, in migraine, 280

Phototherapy, for delayed sleep phase syndrome, 163

Physeal injuries, of acromioclavicular joint, 859–860

Physical therapy
for Achilles tendonopathy, 1046
for anterior cruciate ligament injuries, 936–937
for lateral collateral ligament injuries, 973
for low back pain, 48
for medial collateral ligament injuries, 963–965
for multiple sclerosis, 216–217
for patellar tendinitis, 911–915
for patellofemoral pain syndrome, 993–995
for posterior cruciate ligament injuries, 946–949
for rotator cuff injuries, 820–824
for shoulder impingement syndrome, 798, 802
for shoulder instability, 879–881
for tension-type headache, 304
in calcaneal fractures, 1064–1065

Pick's disease, 143

Pierre Robin sequence, 612

Pimozide, for Tourette's syndrome, 125

Pivot shift test
in knee injuries, 897–898, 931
reverse, in posterior cruciate ligament injuries, 944

Plantar fasciitis, 1019–1021

Plasmapheresis, for peripheral neuropathy, 80

Platelet glycoprotein receptors, coronary artery disease risk and, 718

Plyometric training
for anterior cruciate ligament injury prevention, 881
for shoulder instability, 880–881

PMS gene mutations, in hereditary nonpolyposis colorectal cancer, 661

Polymerase chain reaction, for prenatal genetic screening, 573

Polymorphism, 473. *See also specific genes.*
drug response and. *See* Pharmacogenetics.
gene, 466, 473
in linkage analysis, 474–475

Polyposis, familial adenomatous, 656–659

Polysomnography, 152

Popliteal artery, entrapment of, in athletes, 1016

Positron emission tomography
in cluster headache, 271
in dementia, 134

Postconcussion syndrome, 1–9
causes of, 3
clinical manifestations of, 1–7
definition of, 1–3
diagnosis of, 7
epidemiology of, 3
in football players, 4
litigation effects on, 9
pathophysiology of, 3
risk factors for, 8–9
sequelae of, 2, 6–7
treatment of, 7–9

Posterior cruciate ligament injuries, 940–949
anatomic considerations in, 940–941
biomechanics of, 940–941
diagnosis of, 942–945
incidence of, 925, 941
mechanism of, 942
natural history of, 945–946
patellofemoral pain syndrome in, 984
rehabilitation in, 946–949
treatment of, 946–949

Posterior drawer test
in knee injuries, 898–899, 943
in rotator cuff injuries, 817

Posterolateral corner injuries, 966–973
anatomic considerations in, 966–968
epidemiology of, 966
history of, 968
imaging in, 971–972
physical examination in, 968–971
treatment of, 972–973

Posterolateral drawer test, in posterolateral corner injuries, 970–971

Post-traumatic headache, 370–371, 431–432

Postural hypotension. *See* Orthostatic hypotension.

PPAR g2 gene mutations, in diabetes mellitus, 745–746, 749

Pramipexole, for Parkinson's disease, 114

Preconception counseling, genetic, 561–562

Prednisone
for cluster headache, 320–321
for multiple sclerosis, 210
for peripheral neuropathy, 80

Pre-eclampsia, headache in, 420

Pregnancy. *See also* Prenatal screening and diagnosis.
antiepileptic drugs in, 92
diabetes mellitus in. *See* Diabetes mellitus, gestational.
genetic screening in. *See* Prenatal screening and diagnosis.
headache in, 417–420
in Turner syndrome, 635
migraine in, 287, 427–428
thrombophilia and, 690–691, 697–698

Pregnancy-associated plasma protein-A, measurement of, for screening, 568

Preimplantation genetic diagnosis, 572

Prenatal screening and diagnosis, **559–580**
amniocentesis in, 570–571
chorionic villi sampling in, 570–572
couple, 564–565
ethnicity in, 561–565
family history in, 562–565
fetal cell sorting in, 574
first trimester, 568–569
for Down syndrome, 624–625
for Klinefelter's syndrome, 637
for Turner syndrome, 632
future directions in, 572–575
goals of, 559–560
integrated, 569–570
laboratory techniques in, 574–575
maternal serum analysis in, 565–566, 568
nuchal translucency in, 568–569, 625
options for, 569–572
preconception counseling in, 561–562
preimplantation genetic diagnosis in, 572
procedures for, 561
second trimester, 565–568
ultrasonography in, 566–569, 573–574

Presenile dementia of the Alzheimer's type, 136–137

Prevent Injury and Enhance Performance Program, for anterior cruciate ligament injury prevention, 940

Primary Care Migraine Partnership, 251–252

Primary headache. *See* Headache(s), primary; *specific types.*

Primidone, for essential tremor, 117

Prochlorperazine, for migraine, 428

Progesterone, anterior cruciate ligament injuries and, 929

Progressive supranuclear palsy, dementia in, 130, 143

Promethazine, for medication overuse headache, 373

Promoter sequences, of gene, 463

Propionyl-CoA carboxylase deficiency, newborn screening for, 595–596

Propranolol
for essential tremor, 117
for migraine, 409–410

Proprioception
defects of
in anterior cruciate ligament injuries, 935
patellofemoral pain syndrome in, 983
training for, in shoulder instability, 880–881

Protein C
activated, resistance to, thrombophilia in, 692
deficiency of, thrombophilia in, 694

Protein S, deficiency of, thrombophilia in, 694–695

Prothrombin G20210A mutation
coronary artery disease risk and, 717–718, 723
thrombophilia in, 687, 693

Protriptyline, for tension-type headache, 299

Pseudodementia, 131

Pseudotumor cerebri, headache in, 389, 414

Psychiatric disorders
in Down syndrome, 629
in Huntington's disease, 121–122
versus syncope, 191–192

Psychologic issues
in genetic testing, 517–518
in Klinefelter's syndrome, 638–639
in postconcussion syndrome, 6

Psychotherapy, for tension-type headache, 304–305

Puberty
in Klinefelter's syndrome, 638
in Turner syndrome, 633–634

Pupillometry, in sleep disorders, 153

Push-off test, in rotator cuff injuries, 816

Q

Quadriceps active test, in posterior cruciate ligament injuries, 944

Quadriceps angle (Q angle), 979
gender differences in, 984–985
in lower extremity malalignment, 981
measurement of, 890

Quadriceps muscles
anatomy of, 1005
contusion of, 1006
examination of, 1006
exercises for, for patellofemoral pain syndrome, 994
flexibility of, in patellofemoral pain syndrome, 989–990
strain of, 1006–1007
tight, patellofemoral pain syndrome in, 982–983
weakness of
patellar tendinitis in, 910–911
patellofemoral pain syndrome in, 982

Quadriceps tendon graft, for anterior cruciate ligament injuries, 937–938

Quadruple screen, in prenatal screening for Down syndrome, 566

Quetiapine, for Alzheimer's disease, 138

R

Racism, protection against, in genetic studies, 538–539

Radial nerve, compression of, 56, 61–62

Radiculopathy
back pain in, 42
cervical, 24, 28–29

Radiography
in acromioclavicular joint injuries, 862
in ankle injuries, 1035–1036
in anterior cruciate ligament injuries, 933
in biceps injuries, 848–849
in calcaneal fractures, 1064
in knee injuries, 902–905
in lateral collateral ligament injuries, 971–972
in medial collateral ligament injuries, 961
in patellofemoral pain syndrome, 991–992
in posterior cruciate ligament injuries, 945
in posterolateral corner injuries, 971–972
in rotator cuff injuries, 818–819
in shoulder impingement syndrome, 796–798
in SLAP lesions, 842–843
in talar fractures
dome, 1056–1057
lateral process, 1060
posterior process, 1061–1062
in thigh pain, 1006
in whiplash injury, 13

Range of motion
ankle, testing of, 1033–1034
in rotator cuff injuries, 814

Rearrangements, in mutation, 466–468

Rebound headaches. *See* Medication overuse headaches.

Recessive inheritance, 469–470, 486

Recombination rates, of genes, 474

Red flags concept, for genetic thinking, **497–508**
action based on, 505–506
E (extreme, early, or exceptional presentation of common conditions), 501–502
E (extreme or unusual pathology), 504
G (groups of congenital anomalies), 500–501
mnemonic for (Family GENES), 499
N (neurologic symptoms, including developmental delay), 502–503
origin of, 498–499
S (surprising laboratory values), 504–505

Referral, in genetic disorders, 514–515, 518

Reflexes, disorders of, in Parkinson's disease, 111

Rehabilitation
for Achilles tendon rupture, 1048–1050

for anterior cruciate ligament injuries, 939
for glenohumeral instability, 879–881
for medial collateral ligament injuries, 963–965
for muscle strains, 1007, 1009
for posterior cruciate ligament injuries, 946–949
for rotator cuff injuries, 824–825

Reiter's syndrome, Achilles tendonopathy in, 1044

Relaxation therapy, for tension-type headache, 304–305

Release test, in shoulder impingement syndrome, 795

Relocation test, in shoulder impingement syndrome, 795

REM sleep behavior disorder, 165–166

Remyelination, in peripheral neuropathy, 73

Repetitive microtrauma, glenohumeral instability in, 874

Replication, gene, 461

Reserpine, for Tourette's syndrome, 126

Respiration, monitoring of, in sleep studies, 152

Rest
for medial tibial stress syndrome, 1012
for patellofemoral pain syndrome, 993

Restless legs syndrome, 161–162

Retrocalcaneal bursitis, 1044

Reverse Lachman test, in medial collateral ligament injuries, 961

Reverse pivot shift test, in posterior cruciate ligament injuries, 944

Rheumatoid arthritis, Achilles tendonopathy in, 1044

Rigidity, in Parkinson's disease, 111

Risperidone, for Alzheimer's disease, 138

Rivastigmine, for Alzheimer's disease, 138

Rizatriptan, for migraine, 407–409

RNA, 465
in protein expression, 463–465
non-protein translation functions of, 465–466

RNA polymerase, in DNA replication, 463–464

Rockwood classification, of acromioclavicular joint injuries, 860–861

Ropinirole, for Parkinson's disease, 114

Rotation testing, in shoulder injuries, 785–786

Rotator cuff
examination of
in injuries, 813–818
in shoulder impingement syndrome, 790–791
exercises for, in shoulder instability, 880–881
function of, 870
in glenohumeral joint constraint, 869
injuries of, **807–830**
anatomic considerations in, 808–811
history of, 813
imaging in, 818–820
incidence of, 807
pathogenesis of, 811–812
physical examination in, 813–818
rehabilitation in, 824–825
treatment of, 820–825
pathology of
in impingement syndrome, 793–795, 799–800
in SLAP lesions, 836

Running, iliotibial band friction syndrome in, 1011

Rupture
of Achilles tendon, 1047–1051
of biceps tendon, 846, 849–850

"Sag sign," posterior, in knee injuries, 898–899

S

Saturday night palsy, 61–62

Scapula, in glenohumeral stability, 871

Scapular muscle stabilizer rehabilitation, in shoulder instability, 880

Scapulothoracic joint, anatomy of, 810

Sciatic nerve, entrapment of, 57, 63, 1010

Sciatica, 37–39

Screening
for diabetes mellitus risk, 751, 754–755
newborn. *See* Newborn screening.
prenatal. *See* Prenatal screening and diagnosis.

Segond fractures, 905

Seizures, **85–94**
dementia in, 130
differential diagnosis of, 86
evaluation of, 86–88
genetics of, 503
in elderly persons, 93
in women of childbearing potential, 92
patient education on, 91–92
sleep and, 167–169
syncope in, 180
treatment of, 88–93
triggers of, 87
types of, 86–87
versus parasomnias, 166
versus syncope, 183–184

Selection, genetic, 473–474

Selective serotonin reuptake inhibitors, for tension-type headache, 299–300

Selegiline, for Parkinson's disease, 114

Semimembranosus bursitis, 1009–1010

Sensorimotor distal symmetric polyneuropathy, 67

Septic arthritis, laboratory tests for, 901–902

Sequences, congenital, 610–613

Serotonin, in tension-type headache, 296

Serotonin syndrome, 122–124

Sertraline, for Tourette's syndrome, 126

Sexual dysfunction, in multiple sclerosis, 222–223

Shin, soft-tissue injuries of, 1011–1013, 1015

Shin splints (medial tibial stress syndrome), 1011–1013

Short stature, in Turner syndrome, 630–631, 634

Short-chain acyl-CoA dehydrogenase deficiency, newborn screening for, 596

Short-lasting unilateral neuralgiform headache with conjunctival injection and tearing, 340–341

Shoulder capsule, anatomy of, 867–868

Shoulder impingement syndrome, **789–805**
coracoid, 798–799
internal, 799–802
physical examination in, 786
subacromial
differential diagnosis of, 795
natural history of, 793–795
pathophysiology of, 792–795
physical examination in, 789–795
radiologic examination in, 796–798
stages of, 793–794
treatment of, 798

Shoulder injuries
acromioclavicular joint, **857–866**
biceps, 846–851
examination in, **783–788, 789–795,** 836–842
frozen shoulder, 821
glenoid labrum, 831–846
impingement syndrome, **789–805**
instability in, **867–886**
physical examination in, **783–788**
acromioclavicular joint, 858
impingement syndrome, 790–791
inspection in, 783
manual muscle testing in, 785–786
observation in, 784
palpation in, 784–785
provocative testing in, 786–787
rotator cuff, 813–818
rotator cuff. *See* Rotator cuff.
SLAP, 831–846, 875

Shy-Drager syndrome, 189

Sickle cell anemia, prenatal testing for, 563

Single base changes, in mutation, 466–468

Single nucleotide polymorphisms (SNPs), 466

Single-photon emission computed tomography
in coronary artery disease, 723
in dementia, 134
in patellofemoral pain syndrome, 992–993

Sinus headache, 256, 387, 395–398

Skin necrosis, warfarin-induced, 694–695

SLAP (superior labrum, anterior-posterior) lesions, 831–846, 875
anatomy of, 832–833
biomechanics of, 832–833
classification of, 833–835
clinical findings in, 836–844
historical review of, 831–832
history in, 836
imaging in, 842–844
mechanisms of injury in, 835–836
pathoanatomy of, 833–835
physical examination in, 836–842
treatment of, 844–845

Sleep apnea
central, 156

in Down syndrome, 628
in pediatric patients, 157
obstructive, 151, 153–156

Sleep disorders, **149–174**
central sleep apnea-hypopnea syndrome, 156
circadian rhythm disorders, 162–164
classification of, 150–151
diagnosis of, 151–153
hypersomnia, 157–159
hypnic headache as, 343–345, 432
in children, 157
in epilepsy, 167–169
in infants, 157
in multiple sclerosis, 219
insomnia, 159–161
narcolepsy, 157–159
obstructive sleep apnea, 151, 153–156
parasomnias, 164–167
periodic limb movement disorder, 161–162
physiology of, 149–150
restless legs syndrome, 161–162
with tension-type headache, 306

Sleep terrors, 165

Sleepwalking, 165–166

Sling
for acromioclavicular joint injuries, 863
for shoulder instability, 876, 878

Slump test, in thigh pain, 1008

Small fiber neuropathy, 67–68

Smoking
cessation of, pharmacogenetics of, 550–551, 553–554
cluster headache in, 314
lung cancer risk in, polymorphisms altering, 549–550

Snoring, in obstructive sleep apnea, 154

Snowboarders ankle, 1059–1062

Snyder classification, of SLAP lesions, 833–835

Snyder compression-rotation test, in SLAP lesions, 837–839

Social stigmatization, protection against, in genetic studies, 538–539

Soft-tissue injuries, lower extremity. *See* Lower extremity, soft-tissue injuries of.

Soleus muscle
origin of, stress on, 1012
strains of, 1016–1018

Somatic complaints, in postconcussion syndrome, 6

Somatosensory evoked responses, in peripheral neuropathy, 70

Somnambulism, 165–166

Sonography. *See* Ultrasonography.

Spasticity, in multiple sclerosis, 217–218

Spectrum Study, of headache, 255

Speed's test, in shoulder injuries, 786–787

Spinal cord, compression of, 24–26

Spine
compression fractures of, pain in, 44–45
stenosis of
cervical, 24–25
lumbar, 42–44

Splicing, gene, 464

Spondylolisthesis, pain in, 45–46

Spondylosis, back pain in, 38–39

Sportmetrics program, for anterior cruciate ligament injury prevention, 881

Sports medicine
Achilles tendonopathy and rupture, **1039–1054**
acromioclavicular joint injuries, **857–866**
ankle injuries, **1025–1037**
imitating sprains, **1055–1067**
biceps injuries, 846–851
collateral ligament injuries, **957–976**
cruciate ligament injuries, **925–956**
glenoid labrum injuries, 831–846
knee physical examination in, **887–908**
lower extremity soft-tissue injuries, **1005–1024**
patellar tendinitis and dislocations, **909–924**
patellofemoral pain syndrome, **977–1003**
postconcussion syndrome, 4, 8
rotator cuff injuries. *See* Rotator cuff.
shoulder impingement syndrome, **789–805**
shoulder instability, **867–886**
shoulder physical examination in, **783–788,** 836–842, 848

Sprains
acromioclavicular joint, **857–866**
ankle, problems masquerading as, **1055–1067**
cervical (whiplash injury), 9–15, 26–27

Spring (bounce home) test, in knee injuries, 893

Spurling's test
in neck pain, 22
in shoulder impingement syndrome, 789–790

Squeeze test, in ankle injuries, 1034

Stabbing headache, idiopathic, 345–347

Status migrainosus, 428–429

Sterilizations, in eugenics movement, 529–531, 534–535

Sternoclavicular joint
anatomy of, 808–810
examination of, in rotator cuff injuries, 813

Stimulants, for narcolepsy, 158

Straight leg raising test
in low back pain, 40
in thigh pain, 1008

Strains
adductor magnus, 1009
calf muscles, 1016–1018
hamstrings, 1008–1009
quadriceps, 1006–1007

Stress, migraine in, 406

Stretching
for muscle strains, 1007
for patellar tendinitis, 912

Stroke. *See* Cerebrovascular disease.

Subacromial impingement syndrome, 789–798
differential diagnosis of, 795
natural history of, 793–795
pathophysiology of, 792–795
physical examination in, 789–795
radiological examination in, 796–798
stages of, 793–794
treatment of, 798

Subacute spongiform encephalopathy, 146

Subarachnoid hemorrhage, 98
headache in, 342–343, 384, 414–415

Subdeltoid joint, anatomy of, 810

Subdural hematoma
headache in, 385, 388
in postconcussion syndrome, 5

Subluxation
biceps tendon, 846–847, 849–850
glenohumeral, 874

Subscapularis muscle
anatomy of, 810
examination of, in shoulder impingement syndrome, 791

Subscapularis tendon, examination of, in rotator cuff injuries, 816

Substantia nigra, degeneration of, in Parkinson's disease, 113

Sudden infant death syndrome, 157

Sulcus angle, in patellofemoral pain syndrome, 991

Sulcus sign
in rotator cuff injuries, 817
in shoulder instability, 876

Sulpiride, for tension-type headache, 300

Sumatriptan
for cluster headache, 319–321
for migraine, 407–409, 416, 427–428

SUNCT (short-lasting unilateral neuralgiform headache with conjunctival injection and tearing), 340–341

Suprascapular neuropathy, 60

Supraspinatus muscle
anatomy of, 810
examination of, 786
in rotator cuff injuries, 814
in shoulder impingement syndrome, 790–791

Supraspinatus tendon, examination of, in rotator cuff injuries, 816

Surgery
for Achilles tendon rupture, 1048–1050
for Achilles tendonopathy, 1046
for acromioclavicular joint injuries, 863–865
for anterior cruciate ligament injuries, 937–939
for biceps injuries, 850–851
for cluster headache, 324
for compartment syndrome, 1015
for lateral collateral ligament injuries, 973
for medial collateral ligament injuries, 965
for patellar dislocation, 917–919
for patellar tendinitis, 914–915
for patellofemoral pain syndrome, 996
for plantar fasciitis, 1021
for posterior cruciate ligament injuries, 947–948
for posterolateral corner injuries, 973

for rotator cuff injuries, 820–822, 825
for shoulder impingement syndrome, 798, 802
for shoulder instability, 878–879
for SLAP lesions, 844–845
for talar fractures
dome, 1059
lateral process, 1060
posterior process, 1061
for tarsal tunnel syndrome, 1018–1019

Syncope, **175–199**
causes of, 186–187
convulsive, 180
diagnosis of, 180–182
in acute autonomic neuropathy, 188
in carotid sinus hypersensitivity, 178
in diabetic autonomic neuropathy, 187–188
in orthostatic hypotension, 184–191
in paraneoplastic syndromes, 188–189
in parkinsonism, 189–190
micturition, 179
mimics of, 191–192
neurally mediated, 176
pain-induced, 179
precautions in, 187
presyncopal symptoms and, 192–193
treatment of, 182–183, 190–191
triggers of, 177, 179
tussive, 179
types of, 176
vasovagal, mechanism for, 177–178
versus seizures, 183–184

Syndromes, congenital, 609–610, 613

T

Tacrine, for Alzheimer's disease, 138

Talar fractures
dome, 1055–1059
lateral process, 1059–1060
posterior process, 1060–1062

Talar tilt test, in ankle injuries, 1034

Talofibular ligament, evaluation of, 1034

Tamoxifen, for breast cancer prevention, 653

Tamsulosin, for bladder dysfunction, in multiple sclerosis, 220–221

Tandem mass spectrometry, in newborn screening. *See* Newborn screening, tandem mass spectrometry in.

Taping, patellar, for patellofemoral pain syndrome, 994

Tardive dyskinesia, drug-induced, 122–124

Tarsal tunnel syndrome, 64–65, 1018–1019, 1035

Tay-Sachs disease, prenatal testing for, 563

Tear, rotator cuff. *See* Rotator cuff, injuries of.

Tearing, in short-lasting unilateral neuralgiform headache with conjunctival injection and tearing, 340–341

Temporal arteritis, headache in, 389

Tendinitis
Achilles, 1041–1043
biceps, 847, 849–851
patellar, 909–916

Tendinosis, Achilles, 1042–1043

Tendonopathy
Achilles, 1039–1046
pes anserinus, 1015–1016
rotator cuff. *See* Rotator cuff, injuries of.

Tennis leg, 1018

Tenoperiostitis, 1011–1013

Tensile overload, in rotator cuff injuries, 811–812

Tension-type headaches, **293–311**
chronic, 246
chronic daily, 355–358
clinical features of, 297, 356–357
criteria for, 355–356
definition of, 293, 356
treatment of, 299, 301–302, 357–358
classification of, 246
comorbidities with, 296, 305–307
criteria for, 294–295, 307–308
definition of, 294–295, 307–308
duration of, 293
epidemiology of, 239, 293
episodic, 246, 299, 400
impact of, 240
in women, 413
misdiagnosis of, 398–400
pathophysiology of, 270–271, 295–297
treatment of
analgesics in, 297–299
antidepressants in, 299–300
biofeedback in, 304–305
botulinum toxin in, 303
neuronal stabilizing agents in, 300–302
opioids in, 302–303
psychologic, 304–305

Teres minor muscle
anatomy of, 810
evaluation of, in rotator cuff injuries, 816

Testosterone replacement, in Klinefelter's syndrome, 639

Tetrabenazine, for Tourette's syndrome, 126

Tetrathiomolybdate, for Wilson's disease, 118

Thalamotomy, for essential tremor, 117

Thalassemia
ethnic background and, 561–562
prenatal testing for, 563

Thigh, soft-tissue injuries of
anterior, 1005–1007
posterior, 1007–1010

Thiopurine methyltransferase, polymorphisms of, drug response and, 547–549

Thomas test, in Achilles tendon injuries, 1035

Thompson test
in Achilles tendon rupture, 1047
in calf strains, 1017

Thoracic outlet syndrome, 59–60

Thrifty genotype hypothesis, 746

Thrifty phenotype hypothesis, 749

Thrombophilia, **681–705**
case examples of, 681–682, 698–699
circulatory homeostasis and, 682
coronary artery disease risk and, 714
definition of, 681
environmental factors in, 682–684
genetics of, 684–687
in adults, 688–689
in antithrombin deficiency, 695
in elderly persons, 691
in factor V Leiden mutation, 691–693
in hyperhomocysteinemia, 695
in pediatric patients, 687–688
in protein C deficiency, 694
in protein S deficiency, 694–695
in prothrombin G20210A mutation, 693
in women, 689–691
inheritance of, 685
spectrum of, 687–691
testing for, 696–697
thrombosis prophylaxis in, 697
treatment of, 697–698

Thrombosis
cerebral vein, headache in, 387, 415
in cerebrovascular disease, 99–100

Throwing
acromioclavicular joint injuries in, 857–866
shoulder impingement syndrome in, **789–805**
shoulder instability in, **867–886**

Thunderclap headache, 342–343, 384, 431

Tibia, posterior blow to, posterior cruciate ligament injury in, 942

Tibial artery, anterior, entrapment of, in athletes, 1016

Tibial nerve, compression of, 64–65

Tics, in Tourette's syndrome, 124–126

Tilt-table testing, in syncope, 181

Tinel's sign
in Achilles tendon injuries, 1035
in carpal tunnel syndrome, 62
in common peroneal nerve compression, 64

Tizanidine
for medication overuse headache, 374
for spasticity, in multiple sclerosis, 217
for tension-type headache, 298–299, 305

Topiramate
for cluster headache, 322
for migraine, 286

Tourette's syndrome, 124–126

Tracheostomy, for sleep apnea, 155

Traction, SLAP lesions due to, 835

Traction test, in neck pain, 22

Transcription, gene, 463–464

Transferrin, elevation of, in hemochromatosis, 766

Transformed migraine, 369–370, 429–430

Transglenoid suture repair, of SLAP lesions, 845

Transient ischemic attacks. *See* Cerebrovascular disease.

Translation, gene, 465

Translocations, in mutation, 468

Trauma
headache after, 370–371, 431–432
patellofemoral pain syndrome in, 981
shoulder instability in, 872–873

Trazodone, for tension-type headache, 306

Tremor
essential, 115–117
in Parkinson's disease, 111
in Wilson's disease, 117–118

Trendelenberg sign, in patellofemoral pain syndrome, 987

Triamcinolone, injection of, for acromioclavicular joint injuries, 865

Tricyclic antidepressants, for tension-type headache, 299

Trientine, for Wilson's disease, 118

Trigeminal autonomic cephalalgias, 333–341. *See also* Hemicrania continua.
chronic paroxysmal hemicrania, 337–340
episodic paroxysmal hemicrania, 340
short-lasting unilateral neuralgiform headache with conjunctival injection and tearing, 340–341

Trigeminal nerve
decompression of, for cluster headache, 324
dysfunction of, in migraine, 266–268

Trigeminovascular activation, in migraine, 282

Trinucleotide repeat disorders, Huntington's disease as, 118–122

Triple screen, in prenatal screening for Down syndrome, 565–566

Triplet repeat expansions
anticipation in, 471
in fragile X syndrome, 620–621

Triptan(s), for migraine, 283–284, 407–409. *See also* Naratriptan; Sumatriptan.

Triptan syndrome, 430

Trisomy 13, prenatal screening for, 566–567, 569

Trisomy 18, prenatal screening for, 566–567, 569

Trisomy 21. *See* Down syndrome.

Tumor, brain, headache in, 388

Tumor suppressor genes, mutations of, 550

Turner syndrome, 630–636
chromosomal defect in, 630
conditions associated with, 631–632
features of, 630–632
information resources for, 640
interventions for, 632–636
prenatal screening for, 566–567, 569, 632

Tussive syncope, 179

Tyrosine aminotransferase deficiency, newborn screening for, 593

Tyrosinemia, newborn screening for, 593

U

Uhthoff's phenomenon, in multiple sclerosis, 208

Ulnar nerve, compression of, 55, 61–62

Ultrasonography
in anterior cruciate ligament injuries, 933
in biceps injuries, 849–850
in medial collateral ligament injuries, 961–962
in prenatal screening, 566–569, 573–574
in rotator cuff injuries, 819
in SLAP lesions, 843–844

Ultrasound treatment, in rotator cuff injuries, 820–821

United States Headache Consortium Guidelines, 250–251

Urea cycle disorders, newborn screening for, 585–586, 594–595

Urinary incontinence, in normal-pressure hydrocephalus, 143–145

Uvulopalatopharyngoplasty, for sleep apnea, 155

V

VACTERL association, 612

Valgus stress testing, in medial collateral ligament injuries, 960

Valine, elevated, newborn screening for, 593–594

Valproic acid
for cluster headache, 322
for migraine, 286, 410
for seizures, 88–90

Valsalva maneuver test, in low back pain, 42

Variable expressivity, of genetic traits, 471

Variations, genetic, 472–477

Varus stress test, in lateral and posterolateral collateral ligament injuries, 969

Vascular dementia, 130, 139–141

Vasculitis, cerebral, headache in, 387

Vasospasm, thunderclap headache in, 342–343

Vasovagal syncope. *See* Syncope.

Venlafaxine, for tension-type headache, 300, 305

Verapamil, for cluster headache, 322

Vertebral artery dissection, headache in, 385

Vertebral compression fractures, pain in, 44–45

Very-long-chain acyl-CoA dehydrogenase deficiency, newborn screening for, 586, 597–598

Vibration arthrography, in patellofemoral pain syndrome, 989

Virilization, in Turner syndrome, 633

Visual disorders, in multiple sclerosis, 204–210

Visual evoked responses, in peripheral neuropathy, 70

Vitamin E, for Alzheimer's disease, 137

W

Waddell test, in low back pain, 42

Warfarin, skin necrosis due to, 694–695

Weakness, 208–209
- Achilles tendon injuries in, 1041
- in multiple sclerosis, 211–212
- in peripheral neuropathy, 69
- in whiplash injury, 11

Whiplash injuries, 9–15, 26–27
- chronic, 27
- clinical manifestations of, 10–12
- definition of, 9–10
- diagnosis of, 11, 13
- epidemiology of, 10
- etiology of, 10
- litigation effects on, 14–15
- pathophysiology of, 10
- prognosis for, 14
- treatment of, 13–14, 27

Williams syndrome, 503

Wilson's disease, 117–118

Wilson's test, in osteochondritis dissecans, 892–893

Withdrawal, from medications, headache in. *See* Medication overuse headaches.

Women
- anterior cruciate ligament injuries in, 927, 929–930
- headache in, **413–424**
  - breastfeeding and, 421–422
  - in menopause, 288, 422
  - in pregnancy, 417–420
  - menstrual-associated, 287–288, 415–416, 426–427
  - migraine, 287, 427–428
  - oral contraceptives and, 416–417
  - primary, 413–414
    - hormonal issues in, 415–422
  - secondary, 414–415
- rotator cuff injuries in, 813

Wrist, nerve entrapments at, 54–56, 62–63

X

X chromosome
- extra, in Klinefelter's syndrome, 637
- partial monosomy of. *See* Turner syndrome.

X-linked inheritance, 469
- dominant, 486
- of fragile X syndrome, 620
- recessive, 487

Y

Yergason's test, in rotator cuff injuries, 786, 816–817

Yocum test, in rotator cuff injuries, 814–815

Z

Zolmitriptan
- for cluster headache, 320
- for migraine, 407

Zonisamide, for multiple sclerosis, 209